

	Reference (primary and secondary articles)	Sample	PDT-model	Control
1.	Abbass, A., Sheldon, A., Gyra, J., & Kalpin, A. (2008). Intensive short-term dynamic psychotherapy for DSM-IV personality disorders: a randomized controlled trial. <i>J Nerv Ment Dis, 196</i> , 211-216.	Personality disorders	ISTDP (Davanloo, 1990)	Minimal contact
2.	Ajlchi, B., Ahadi, H., Najati, V., & Delavar, A. (2013). The effectiveness of intensive short-term dynamic psychotherapy in decrease of depression level. <i>European Journal of Experimental Biology, 3(2)</i> , 342-346.	Depression	ISTDP (Davanloo, 1990)	Waitlist
3.	Alstrom, J. E., Nordlund, C. L., Persson, G., Harding, M., & Ljungqvist, C. (1984). Effects of four treatment methods on social phobic patients not suitable for insight-oriented psychotherapy. <i>Acta Psychiatrica Scandinavica, 70</i> , 97-110.	Social phobia (not suitable for insight-oriented psychotherapy, adults)	Supportive dynamic psychotherapy (Dewald, 1964)	Prolonged exposure (in vivo w. therapist)/ + relaxation therapy
4.	Alstrom, J. E., Nordlund, G., Persson, G., Harding, M., & Lundquist, C. (1984). Effects of four treatment methods on agoraphobic women not suitable for insight-oriented psychotherapy. <i>Acta Psychiatrica Scandinavica, 70</i> , 1-17.	Agoraphobic women (not suitable for insight-oriented psychotherapy)	Supportive dynamic psychotherapy (Dewald, 1964)	Prolonged exposure (in vivo w. therapist)/ + relaxation therapy
5.	Amianto, F., Ferrero, A., Pierò, A., Cairo, E., Rocca, G., Simonelli, B., ... Fassino, S. (2011). Supervised team management, with or without structured psychotherapy, in heavy users of a mental health service with borderline personality disorder: a two-year follow-up preliminary randomized study. <i>BMC psychiatry, 11(1)</i> , 181.	Borderline personality disorder	Sequential Brief Adlerian Psychodynamic Psychotherapy (SB-APP; Fassino, 2008;2009)	Supervised team management
6.	Andersson, G., Paxling, B., Roch-Norlund, P., Ostman, G., Norgren, A., Almlöv, J., ... Silverberg, F. (2012). Internet-Based Psychodynamic versus Cognitive Behavioral Guided Self-Help for Generalized Anxiety Disorder: A Randomized Controlled Trial. <i>Psychotherapy and psychosomatics, 81(6)</i> , 344-355.	Generalized Anxiety Disorder	SUBGAP, IPDT (Silverberg, 2005)	ICBT (reference?)
7.	Arnevik, E., Wilberg, T., Urnes, O., Johansen, M., Monsen, J. T., & Karterud, S. (2009). Psychotherapy for personality disorders: short-term day hospital psychotherapy versus outpatient individual therapy - a randomized controlled study. <i>European Psychiatry : The Journal of the Association of European Psychiatrists, 24(2)</i> , 71-8. doi:10.1016/j.eurpsy.2008.09.004 Arnevik, E., Wilberg, T., Urnes, Ø., Johansen, M., Monsen, J. T., & Karterud, S. (2010). Psychotherapy for Personality Disorders: 18 Months' Follow-Up of the Ullevål Personality Project. <i>Journal of Personality Disorders, 24(2)</i> , 188-203.	Personality disorders	Short-Term Day Hospital Psychotherapy (DHP; ingne specific reference)	Outpatient Individual Psychotherapy (no reference)
8.	Bachar, E., Latzer, Y., Kreitler, S., & Berry, E. M. (1999). Empirical comparison of two psychological therapies. Self psychology and cognitive orientation in the treatment of anorexia and bulimia. <i>J Psychother Pract Res, 8</i> , 115-128.	Bulimia	Self Psychological Treatment (based on Kohut, 1984)	Cognitive Orientation Treatment (reference?)
9.	Baldoni, F., Baldaro, B., & Trombini, G. (1995). Psychotherapeutic perspectives in urethral syndrome. <i>Stress Medicine, 11</i> (July 1994), 79-84.	Urethral syndrome Females 18-63	STDP (Malan, 1979; Davanloo, 1980)	TAU
10.	Balottin, U., Ferri, M., Racca, M., Rossi, M., Rossi, G., Beghi, E., ... Termine, C. (2014). Psychotherapy versus usual care in pediatric migraine and tension-type headache: a single-blind controlled pilot study. <i>Italian Journal of Pediatrics, 40(1)</i> , 6.	Idiopathic headache (child/adolescent 6-18 yrs)	STPP (Aliprandi, Pelanda, Senise focus on separation-individuation, Individuell/familj)	TAU
11.	Barber, J. P., Barrett, M. S., Gallop, R., Rynn,	Depression	Supportive Expressive	Placebo

	<p>M. a, & Rickels, K. (2011). Short-term dynamic psychotherapy versus pharmacotherapy for major depressive disorder: a randomized, placebo-controlled trial. <i>The Journal of clinical psychiatry</i>, 1–8.</p> <p>Zilcha-Mano, S., Dinger, U., McCarthy, K. S., Barrett, M. S., & Barber, J. P. (2013). Changes in well-being and quality of life in a randomized trial comparing dynamic psychotherapy and pharmacotherapy for major depressive disorder. <i>Journal of affective disorders</i>, 1–5. doi:10.1016/j.jad.2013.10.015</p>		Therapy (Luborsky, 1984)	SSRI/SNRI
12.	<p>Barkham, M., Rees, A., Shapiro, D. A., Stiles, W. B., Agnew, R. M., & Halstead, J., et al. (1996). Outcomes of time-limited psychotherapy in applied settings: replicating the Second Sheffield Psychotherapy Project. <i>J Consult Clin Psychol</i>, 64, 1079-1085.</p>	Depression	Psychodynamic-interpersonal Therapy (Hobson, 1985)	CBT (reference?)
13.	<p>Barkham, M., Shapiro, D. A., Hardy, G. E., & Rees, A. (1999). Psychotherapy in two-plus-one sessions: outcomes of a randomized controlled trial of cognitive-behavioral and psychodynamic-interpersonal therapy for subsyndromal depression. <i>J Consult Clin Psychol</i>, 67, 201-211.</p>	Subsyndromal depression	Psychodynamic-interpersonal Therapy (Barkham & Shapiro, based on Hobson, 1985) (3 sessions)	CBT (reference?)
14.	<p>Bassett, D. L., & Pilowsky, I. (1985). A study of brief psychotherapy for chronic pain. <i>J Psychosom Res</i>, 29, 259-264.</p>	Chronic pain (adults, 22-57 yrs)	12 sessions PDT (non-manualized?)	Supportive psychotherapy (reference?)
15.	<p>Bastos, A. G., Pinto Guimarães, L. S., & Trentini, C. M. (2013). Neurocognitive changes in depressed patients in psychodynamic psychotherapy, therapy with fluoxetine and combination therapy. <i>Journal of affective disorders</i>, 1–10.</p> <p>Bastos, A. G., Pinto Guimarães, L. S., & Trentini, C. M. (2013). Neurocognitive changes in depressed patients in psychodynamic psychotherapy, therapy with fluoxetine and combination therapy. <i>Journal of Affective Disorders</i>, 1–10.</p>	Depression	Long-term psychodynamic psychotherapy (LTPP; Gabbard, 2004; 2010) /	Fluoxetine LTPP + fluoxetine
16.	<p>Bateman, A., & Fonagy, P. (1999). Effectiveness of partial hospitalization in the treatment of borderline personality disorder: a randomized controlled trial. <i>Am J Psychiatry</i>, 156, 1563-1569.</p>	Borderline personality disorder	Mentalization based treatment (MBT; Bateman & Fonagy, 2004)	TAU
17.	<p>Bateman, A., & Fonagy, P. (1999). Effectiveness of partial hospitalization in the treatment of borderline personality disorder: a randomized controlled trial. <i>The American Journal of Psychiatry</i>, 156(10), 1563–9.</p> <p>Bateman, A., & Fonagy, P. (2008). 8-Year Follow-Up of Patients Treated for Borderline Personality Disorder: Mentalization-Based Treatment Versus Treatment As Usual. <i>The American Journal of Psychiatry</i>, 165(5), 631–8.</p>	Borderline personality disorder	Mentalization based treatment (MBT; Bateman & Fonagy, 2004)	Treatment as usual (TAU)
18.	<p>Bateman, A., & Fonagy, P. (2009). Randomized controlled trial of outpatient mentalization-based treatment versus structured clinical management for borderline personality disorder. <i>Am J Psychiatry</i>, 166, 1355-1364.</p>	Borderline personality disorder	Mentalization based treatment (MBT; Bateman & Fonagy, 2004)	Structured Clinical Management (SCM)
19.	<p>Ben-Itzhak, S., Bluvstein, I., Schreiber, S., Aharonov-Zaig, I., Maor, M., Lipnik, R., &</p>	Adjustment disorder	Brief Psychodynamic Psychotherapy (12	Brief Psychodynamic Psychotherapy (1 yrs;

	Bloch, M. (2012). The Effectiveness of Brief Versus Intermediate Duration Psychodynamic Psychotherapy in the Treatment of Adjustment Disorder. <i>Journal of Contemporary Psychotherapy</i> , 42(4), 249–256.		sessions; Malan, 1979)	Malan, 1979)
20.	Beresnevaite , M. (2000) Exploring the benefits of group psychotherapy in reducing alexithymia in coronary heart disease patients: a preliminary study. <i>Psychotherapy and Psychosomatics</i> , 69, 117–122.	Alexithymia in Coronary Heart Disease Patients	Group psychotherapy (1) teaching relaxation and increasing motivation to reduce alexithymia; (2) promoting nonverbal expressions of emotion, and (3) gestalt techniques and other interventions to facilitate verbal emotional expression (no reference?)	Psychoeducation
21.	Beutel , M., Thiede, R., Wiltink, J., & Sobez, I. (2001). Effectiveness of behavioral and psychodynamic in-patient treatment of severe obesity—first results from a randomized study. <i>Int J Obes</i> , 25, S96-S98.	Severe obesity	Individual in-patient PDT. Local program aimed at uncovering underlying conflicts (reference?)	In-patient CBT , local program
22.	Beutel , M. E., Scheurich, V., Knebel, A., Michal, M., Wiltink, J., Graf-Morgenstern, M., ... Subic-Wrana, C. (2013). Implementing panic-focused psychodynamic psychotherapy into clinical practice. <i>Canadian journal of psychiatry. Revue canadienne de psychiatrie</i> , 58(6), 326–34.	Panic disorder	Panic Focused Psychodynamic Psychotherapy (PFPP; Milrod)	CBT
23.	Beutel , M. E., Weissflog, G., Leuteritz, K., Wiltink, J., Haselbacher, a., Ruckes, C., ... Brahler, E. (2013). Efficacy of short-term psychodynamic psychotherapy (STPP) with depressed breast cancer patients: results of a randomized controlled multicenter trial. <i>Annals of Oncology</i> , 1–7. Weißflog , G., Brähler, E., Leuteritz, K., Barthel, Y., Kuhnt, S., Wiltink, J., ... Beutel, M. E. (2015). Does psychodynamic short-term psychotherapy for depressed breast cancer patients also improve fatigue? Results from a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> . doi:10.1007/s10549-015-3494-0	Depression in breast cancer patients	Supportive-expressive therapy (Haselbacher, Barthel, Brähler et al., 2010) baserad på Luborsky (1984)	TAU
24.	Bloch , M., Meiboom, H., Lorberblatt, M., Bluvstein, I., Aharonov, I., & Schreiber, S. (2012). The effect of sertraline add-on to brief dynamic psychotherapy for the treatment of postpartum depression: a randomized, double-blind, placebo-controlled study. <i>The Journal of clinical psychiatry</i> , 73(2), 235–41.	Post-partum depression	Brief Dynamic Psychotherapy (BDT; Malan, 1979) + placebo meds	Brief Dynamic Psychotherapy (BDT; Malan, 1979) + sertraline
25.	Bressi , C., Porcellana, M., Marinaccio, P. M., Nocito, E. P., & Magri, L. (2010). Short-term psychodynamic psychotherapy versus treatment as usual for depressive and anxiety disorders: a randomized clinical trial of efficacy. <i>The Journal of Nervous and Mental Disease</i> , 198(9), 647–52.	Mixed sample: depression and anxiety	Brief Dynamic Psychotherapy (BDT; Malan, 1976; Osimo & Malan, 1992)	Treatment as usual (TAU)
26.	Brockman , B., Poynton, A., Ryle, A., & Watson, J. P. (1987). Effectiveness of time-limited therapy carried out by trainees. Comparison of two methods. <i>Br J Psychiatry</i> , 151, 602-610.	Mixed sample	Interpretive therapy (Mann & Goldman, 1982)	Cognitive-analytic therapy (CAT; Ryle, 1979; 1982)
27.	Brodsky , H., & Andrews, G. (1983). Brief psychotherapy in family practice. A controlled prospective intervention trial. <i>Br J Psychiatry</i> , 143, 11-19.	Mixed sample	STDP (Balant, Malan & Sifneos)	Family practitioner No therapy
28.	Brom , D., Kleber, R. J., & Defares, P. B. (1989). Brief psychotherapy for posttraumatic stress disorders. <i>J Consult</i>	Post traumatic stress disorder	Brief Psychodynamic Therapy (Horowitz, 1976)	Trauma Desensitization (reference?)

	Clin Psychol, 57, 607-612.			Hypnotherapy (reference?)
29.	Budman, S. H., Demby, A., Redondo, J. P., Hannan, M., Feldstein, M., & Ring, J., et al. (1988). Comparative outcome in time-limited individual and group psychotherapy. <i>Int J Group Psychother</i> , 38, 63-86.	Mixed sample	Time-limited group psychotherapy (reference?)	Time-limited individual psychoterhapy (reference?)
30.	Burnand, Y., Andreoli, A., Kolatte, E., Venturini, A., & Rosset, N. (2002). Psychodynamic psychotherapy and clomipramine in the treatment of major depression. <i>Psychiatr Serv</i> , 53, 585-590.	Depression	PDT + clomipramine, unclear what model, Safran & Muran mentioned among references	Supportive care + clomipramine
31.	Burns, A., Guthrie, E., Marino-Francis, F., Busby, C., Morris, J., Russell, E., ... Byrne, J. (2005). Brief psychotherapy in Alzheimer's disease. <i>British Journal Of Psychiatry</i> , 187(2), 143-147.	Alzheimers disease	Psychodynamic- Interpersonal therapy (Hobson, 1985)	TAU
32.	Bögels, S., Wijts, P., Oort, F., & Sallaerts, S. J. (2014). Psychodynamic psychotherapy versus cognitive-behavior therapy for social anxiety disorder: An efficacy and partial effectiveness trial. <i>Depression and Anxiety</i> , 11, 1-11.	Social anxiety disorder	STDP (Malan, 1979). MEN nämner att de även occationally använder SET-intervention, reffar Luborsky	CBT (Clark & Wells, 1995)
33.	Chavooshi, B., Mohammadkhani, P., & Dolatshahee, B. (2016). A Randomized Double-Blind Controlled Trial Comparing Davanloo's Intensive Short-Term Dynamic Psychotherapy as Internet-Delivered Versus Treatment as Usual for Medically Unexplained Pain: A Six-Month Pilot Study. <i>Psychosomatics</i> .	Unexplained pain	Internet-ISTDP (Abbass, 2015)	TAU
34.	Chavooshi, B., Mohammadkhani, P., & Dolatshahee, B. (2016). Efficacy of Intensive Short-Term Dynamic Psychotherapy for Medically Unexplained Pain: A Pilot Three-Armed Randomized Controlled Trial Comparison with Mindfulness-Based Stress Reduction. <i>Psychotherapy and Psychosomatics</i> , 123-125.	Unexplained pain	ISTDP (Abbass, 2015)	Mindfulness-based stress reduction (MBSR) TAU
35.	Chavooshi, B., Mohammadkhani, P., & Dolatshahee, B. (2016). Telemedicine vs. in-person delivery of intensive short-term dynamic psychotherapy for patients with medically unexplained pain: A 12-month randomized, controlled trial. <i>Journal of Telemedicine and Telecare</i> , 0(0), 1-9.	Unexplained pain	ISTDP (Abbass, 2015)	Internet-delivered ISTDP (ID-ISTDP)
36.	Clarici, A., Pellizzoni, S., Guaschino, S., Alberico, S., Bembich, S., Giuliani, R., ... Panksepp, J. (2015). Intranasal adminsitration of oxytocin in postnatal depression: implications for psychodynamic psychotherapy from a randomized double-blind pilot study. <i>Frontiers in Psychology</i> , 06, 1-10. doi:10.3389/fpsyg.2015.00426	Postpartum depression	Psychodynamic approach (non-manualized?) + oxytocine	Psychodynamic approach (non-manualized?) + placebo
37.	Clarkin, J. F., Levy, K. N., Lenzenweger, M. F., & Kernberg, O. F. (2007). Evaluating three treatments for borderline personality disorder: a multiwave study. <i>Am J Psychiatry</i> , 164, 922-928.	Borderline Personality Disorder	Transference-Focused Psychotherapy (TFP; Kernberg)	DBT (Linehan, 1991) Supportive treatment (Rockland, 1992)
38.	Cooper, P. J., Murray, L., Wilson, A., & Romaniuk, H. (2003). Controlled trial of the short- and long-term effect of psychological treatment of post-partum depression. I. Impact on maternal mood. <i>Br J Psychiatry</i> , 182, 412-419. Murray, L., Cooper, P. J., Wilson, A., & Romaniuk, H. (2003). Controlled trial of the short- and long-term effect of psychological treatment of post- partum depression: 2.	Postpartum depression	Psychodynamic therapy (Cramer et al, 1990; Stern, 1995)	TAU Non-directive counseling (reference?) Cognitive-Behavioural Therapy (reference?)

	Impact on the mother-child relationship and child outcome. <i>British Journal of Psychiatry</i> , 182, 420–7.			
39.	Covi, L., Lipman, R. S., Derogatis, L. R., Smith, J. E., & Pattison, J. H. (1974). Drugs and group psychotherapy in neurotic depression. <i>Am J Psychiatry</i> , 131, 191-198.	(Chronic?) depression	Studien saknas...	
40.	Covi, L., & Lipman, R. S. (1987). Cognitive behavioral group psychotherapy combined with imipramine in major depression. <i>Psychopharmacol Bull</i> , 23, 173-176.	Depression	Studien saknas...	
41.	Creed, F., Fernandes, L., Guthrie, E., Palmer, S., Ratcliffe, J., & Read, N., et al. (2003). The cost-effectiveness of psychotherapy and paroxetine for severe irritable bowel syndrome. <i>Gastroenterology</i> , 124, 303-317.	Irritable bowel syndrome	Psychodynamic Interpersonal Therapy (Kolla Guthrie för ref?)	SSRI / TAU
42.	Crits-Christoph, P., Siqueland, L., Blaine, J., Frank, A., Luborsky, L., & Onken, L. S., et al. (1999). Psychosocial treatments for cocaine dependence: National Institute on Drug Abuse Collaborative Cocaine Treatment Study. <i>Arch Gen Psychiatry</i> , 56, 493-502.	Cocaine Dependence	Supportive Expressive Therapy (Luborsky (1984) + group drug counseling	Cognitive therapy + group drug counseling Group drug counseling
43.	Crits-Christoph, P., Gibbons, M. B. C., Narducci, J., Schamberger, M., & Gallop, R. (2005). Interpersonal Problems and the Outcome of Interpersonally Oriented Psychodynamic Treatment of GAD. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 42(2), 211–224.	GAD	Supportive Expressive Therapy (Luborsky (1984)	Supportive therapy
44.	Cummings, J. G., & Wittenberg, J. V. (2008). Supportive expressive therapy - Parent child version: an exploratory study. <i>Psychotherapy Theory, Research, Practice, Training</i> , 45, 148-164.	Children with oppositional defiant disorder/disruptive behavior disorder	Supportive Expressive Therapy – Parent Child (SET-PC) Wittenberg, adapted from Luborsky	The Incredible Years Parenting Program
45.	Dare, C., Eisler, I., Russell, G., Treasure, J., & Dodge, L. (2001). Psychological therapies for adults with anorexia nervosa: randomised controlled trial of out-patient treatments. <i>Br J Psychiatry</i> , 178, 216-221.	Anorexia	Focal psychoanalytic psychotherapy (Dare, 1995; Malan, 1979)	Cognitive Analytic Therapy (Ryle?) Family therapy (reference?)
46.	de Jonghe, F., Kool, S., van Aalst, G., Dekker, J., & Peen, J. (2001). Combining psychotherapy and antidepressants in the treatment of depression. <i>Journal of Affective Disorders</i> , 64(2-3), 217–29.	Depression	Short Psychodynamic Supportive Psychotherapy (de Jonghe, 2005) + medication	Medication alone
47.	de Jonghe, F., Hendriksen, M., van Aalst, G., Kool, S., Peen, J., & Van, R., et al. (2004). Psychotherapy alone and combined with pharmacotherapy in the treatment of depression. <i>British Journal of Psychiatry</i> , 185, 37-45.	Depression	Short Psychodynamic Supportive Psychotherapy (de Jonghe, 2005)	Short Psychodynamic Supportive Psychotherapy + antidepressants
48.	Doering, S., Hörz, S., Rentrop, M., Fischer-Kern, M., Schuster, P., & Benecke, C., et al. (2010). Transference-focused psychotherapy v. treatment by community psychotherapists for borderline personality disorder: randomised controlled trial. <i>Br J Psychiatry</i> , 196, 389-395.	Borderline personality disorder	Transference-focused psychotherapy (TFP; Kernberg)	TAU (experienced therapists)
49.	Driessen, E., Van, L. H., Don, F. J., Peen, J., Kool, S., Westra, D., ... Dekker, J. J. M. (2013). The Efficacy of Cognitive-Behavioral Therapy and Psychodynamic Therapy in the Outpatient Treatment of Major Depression: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , (September), 1041–1050. Driessen, E., Van, H. L., Peen, J., Don, F. J., Kool, S., Westra, D., ... Dekker, J. J. (2014). Therapist-rated outcomes in a randomized clinical trial comparing cognitive behavioral therapy and psychodynamic therapy for major depression. <i>Journal of Affective</i>	Depression	Short-term psychodynamic supportive psychotherapy (de Jonghe, 2005)	Cognitive-Behavior Therapy (CBT; Molenaar et al., 2009)

	<i>Disorders, 170C</i> , 112–118. doi:10.1016/j.jad.2014.08.023			
50.	Durham , R. C., Murphy, T., Allan, T., Richard, K., Treliving, L. R., & Fenton, G. W., et al. (1994). Cognitive therapy, analytic psychotherapy and anxiety management training for generalised anxiety disorder. <i>Br J Psychiatry</i> , 165, 315-323.	Generalized Anxiety Disorder	Analytic-based psychotherapy (non-manualized)	Cognitive Therapy / Anxiety Management training (reference?)
51.	Emmelkamp , P. M. G., Benner, A., Kuipers, A., Feiertag, G. A., Koster, H. C., & Van Apeldoorn, F. J., et al. (2006). Comparison of brief dynamic and cognitive-behavioural therapies in avoidant personality disorder. <i>Br J Psychiatry</i> , 189, 60-64.	Avoidant personality disorder	Brief Dynamic Therapy (BDT; Malan, 1979). MEN reffar också Luborsky, 1984)	CBT (reference?)
52.	Fairburn , G., Kirk, J., Connor, M. O., & Cooper, P. J. (1986). A COMPARISON TREATMENTS OF TWO PSYCHOLOGICAL FOR BULIMIA. <i>Behaviour research and therapy</i> , 24(6), 629–643.	Bulimia Nervosa	Short-term Focal Psychotherapy (Rosen, 1979)	CBT (reference?)
53.	Faramarzi , M., Azadfallah, P., Book, H. E., Tabatabaei, K. R., Taheri, H., & Shokri-Shirvani, J. (2013). A randomized controlled trial of brief psychoanalytic psychotherapy in patients with functional dyspepsia. <i>Asian journal of psychiatry</i> , 6(3), 228–34. doi:10.1016/j.ajp.2012.12.012 Faramarzi , M., & Book, H. E. (2015). The Effect of Psychotherapy in Improving Physical and Psychiatric Symptoms in Patients with Functional Dyspepsia, (2002), 43–49.	Functional dyspepsia	Brief psychodynamic therapy (Book, 1998) based on Luborsky (1984) + standard medical therapy	TAU (medical therapy)
54.	Fonagy , P., Sled, M., & Baradon, T. (2016). Randomized Controlled Trial of Parent-Infant Psychotherapy for Parents With Mental Health Problems and Young Infants. <i>Infant Mental Health Journal</i> , (March), n/a–n/a.	Parents with mental health problems	Parent-infant psychotherapy (PIP)	Standard care
55.	Fonagy , P., Rost, F., Carlyle, J.-A., Mcpherson, S., Thomas, R., Fearon, R. M. P., ... Taylor, D. (2015). Pragmatic randomized controlled trial of long-term psychoanalytic psychotherapy for treatment-resistant depression : the Tavistock Adult Depression Study (TADS). <i>World Psychiatry</i> , (October).	Treatment resistant depression	Long-Term Psychoanalytic PPsychotehrapy (LTPP; Taylor, 2015)	TAU
56.	Gallagher , D. E., & Thompson, L. W. (1982). Treatment of major depressive disorder in older adult outpatients with brief psychotherapies. <i>Psychotherapy: Theory, Research, and Practice</i> , 482-490.	Major depressive disorder	Brief relational/insight psychotherapy (Bellak & Small, 1965)	Behavioral therapy / Cognitive therapy (reference?)
57.	Gallagher-Thompson , D., & Steffen, A. M. (1994). Comparative effects of cognitive-behavioral and brief psychodynamic psychotherapies for depressed family caregivers. <i>J Consult Clin Psychol</i> , 62, 543-549.	Depressed family caregivers of elderly relatives	Brief Psychodynamic Therapy (Mann, 1973)	CBT (reference?)
58.	Garner , D. M., Rockert, W., Davis, R., Garner, M. V., Olmsted, M. P., & Eagle, M., et al. (1993). Comparison of cognitive-behavioral and supportive-expressive therapy for bulimia nervosa. <i>Am J Psychiatry</i> , 150, 37-46.	Bulimia nervosa	Supportive-expressive psychotherapy (Luborsky, 1984)	KBT (Fairburn)
59.	Gersons , B. P., Carlier, I. V., Lamberts, R. D., & van der Kolk, B. A. (2000). Randomized clinical trial of brief eclectic psychotherapy for police officers with posttraumatic stress disorder. <i>J Trauma Stress</i> , 13, 333-347.	PTSD	Brief eclectic psychotherapy (PDT + KBT) (Gersons & Carlier, 1994)	Waitlist
60.	Gelder , M. G., Marks, I. M., & Wolff, H. H. (1967). Desensitization and psychotherapy in the treatment of phobic states: a controlled inquiry. <i>British Journal of Psychiatry</i> , 113(494), 53–81.	Phobic states	Psychotherapy (no reference)	Desensitization (Wolpe) Group psychotherapy (Foulkes)

	doi:10.1192/bjp.113.494.53			
61.	Ghorbani, N., Dadsetan, P., Ejei, J., & Motiyan, H. (2000). The consequences of overcoming resistance and emotional disclosure on lymphocyte T-helper and T-suppressor and psychological pathology. <i>Journal of Psychology (Persian)</i> , 3, 368–89.	Students	ISTDP (Davanloo, 1990)	Simple verbal disclosure groups (SVD)
62.	Gibbons, M. B. C., Thompson, S. M., Scott, K., Schauble, L. a, Mooney, T., Thompson, D., ... Crits-Christoph, P. (2012). Supportive-expressive dynamic psychotherapy in the community mental health system: A pilot effectiveness trial for the treatment of depression. <i>Psychotherapy (Chicago, Ill.)</i> , 49(3), 303–16.	Depression	Supportive-expressive therapy (manual adapted from Luborsky, 1984)	TAU
63.	Giesen-Bloo, J., van Dyck, R., Spinhoven, P., van Tilburg, W., Dirksen, C., & van Asselt, T., et al. (2006). Outpatient psychotherapy for borderline personality disorder: randomized trial of schema-focused therapy vs transference-focused psychotherapy. <i>Arch Gen Psychiatry</i> , 63, 649-658.	Borderline personality disorder	Transference focused psychotherapy (TFP; Kernberg)	Schema-focused therapy
64.	Gowers, S., Norton, K., Halek, C., & Crisp, A. H. (1994). Outcome of outpatient psychotherapy in a random allocation treatment study of anorexia nervosa. <i>Int J Eat Disord</i> , 15, 165-177.	Anorexia nervosa, adolescents and young women	Short term individual + family interviews (Koss & Butcher, 1986)	Assessment only
65.	Gregory, R. J., Chlebowski, S., Kang, D., Remen, A. L., Soderberg, M. G., & Stepkovitch, J., et al. (2008). A controlled trial of psychodynamic psychotherapy for co-occurring borderline personality disorder and alcohol use disorder. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 45, 28-41.	Borderline personality disorder + alcohol use disorder	Dynamic deconstructive therapy (Gregory & Remen)	TAU
66.	Gunderson, J. G., Frank, A. F., Katz, H. M., Vannicelli, M. L., Frosch, J. P., & Knapp, P. H., et al. (1984). Effects of psychotherapy in schizophrenia: II. Comparative outcome of two forms of treatment. <i>Schizophr Bull</i> , 10, 564-598.	Schizophrenia	Exploratory, insight oriented psychotherapy (Adapted from Fromm-Reichmann)	Reality-adaptive, supportive psychotherapy
67.	Guthrie, E., Creed, F., Dawson, D., & Tomenson, B. (1991). A controlled trial of psychological treatment for the irritable bowel syndrome. <i>Gastroenterology</i> , 100, 450-457. Guthrie, E., Creed, F., Dawson, D., & Tomenson, B. (1993). A randomised controlled trial of psychotherapy in patients with refractory Irritable Bowel Syndrome. <i>British Journal of Psychiatry</i> , 163, 315–21.	Irritable Bowel Syndrome	Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)	Supportive listening
68.	Guthrie, E., Kapur, N., Mackway-Jones, K., Chew-Graham, C., Moorey, J., & Mendel, E., et al. (2001). Randomised controlled trial of brief psychological intervention after deliberate self poisoning. <i>BMJ</i> , 323, 135-138.	Deliberate self poisoning	Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)	TAU
69.	Guthrie, E., Moorey, J., Margison, F., Barker, H., Palmer, S., & McGrath, G., et al. (1999). Cost-effectiveness of brief psychodynamic-interpersonal therapy in high utilizers of psychiatric services. <i>Arch Gen Psychiatry</i> , 56, 519-526.	Mixed sample	Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)	TAU
70.	Hall, A., & Crisp, A. H. (1987). Brief psychotherapy in the treatment of anorexia nervosa: Outcome at one year. <i>British Journal of Psychiatry</i> , 151, 185-191.	Anorexia nervosa	Combined individual and family psychotherapy (no reference)	Dietary advice
71.	Hamilton, J., Guthrie, E., Creed, F., Thompson, D., Tomenson, B., & Bennett, R., et al. (2000). A randomized controlled trial of psychotherapy in patients with chronic	Chronic Functional Dyspepsia	Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)	Supportive therapy (Guthrie, unpub.)

	functional dyspepsia. <i>Gastroenterology</i> , 119, 661-669.			
72.	Hardy , G. E., Barkham, M., Shapiro, D. a, Stiles, W. B., Rees, a, & Reynolds, S. (1995). Impact of Cluster C personality disorders on outcomes of contrasting brief psychotherapies for depression. <i>Journal of consulting and clinical psychology</i> , 63(6), 997-1004.	Depression + cluster C	Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)	CBT (Firth & Shapiro, 1985)
73.	Hellerstein , D. J., Rosenthal, R. N., Pinsker, H., Samstag, L. W., Muran, J. C., & Winston, A., et al. (1998). A randomized prospective study comparing supportive and dynamic therapies. Outcome and alliance. <i>J Psychother Pract Res</i> , 7, 261-271.	Personality disorders in cluster C	ISTDP (Davanloo, 1980)	Brief Adaptive Therapy (Winston?)
74.	Hersen , M., Himmelhoch, J. M., Thase, M. E., & Bellack, A. S. (1984). Effects of social skill training, amitriptyline, and psychotherapy in unipolar depressed women. <i>Behavior Therapy</i> , 15(1), 21-40.	Depression	Time-limited dynamic therapy (no reference) + placebo	Social skill training + placebo Amitriptyline
75.	Hoffart , A., & Martinsen, E. W. (1990). EXPOSURE-BASED INTEGRATED VS . PURE PSYCHODYNAMIC TREATMENT OF AGORAPHOBIC INPATIENTS. <i>Psychotherapy ...</i> , 27(2), 210-218.	Agoraphobia	Integrative behavioural- psychodynamic treatment	Psychodynamic oriented group therapy (
76.	Huber , D., Henrich, G., Gastner, J., & Klug, G. (2012). Must All Have Prizes? The Munich Psychotherapy Study. In <i>Psychodynamic Psychotherapy Research</i> . Huber , D., Huber, D., Zimmermann, J., Henrich, G., & Klug, G. (2012). Comparison of cognitive-behaviour therapy with psychoanalytic and psychodynamic therapy for depressed patients – A three-year follow-up study. <i>Zeitschrift für Psychosomatic</i> , (58), 299-316. Huber , D., Henrich, G., Clarkin, J., & Klug, G. (2013). Psychoanalytic versus psychodynamic therapy for depression: a three-year follow-up study. <i>Psychiatry</i> , 76(2), 132-49.	Depression	Psychoanalysis LTTP All non-manualized	CBT
77.	Höglend , P., Amlo, S., Marble, A., Bøgwald, K. P., Sørbye, O., & Sjaastad, M. C., et al. (2006). Analysis of the patient-therapist relationship in dynamic psychotherapy: an experimental study of transference interpretations. <i>Am J Psychiatry</i> , 163, 1739-1746.	Mixed sample	Psychodynamic psychotherapy (Höglend, 1995)	Psychodynamic psychotherapy (Höglend, 1995) without transference interpretation
78.	Johansson , R., Ekbladh, S., Hebert, A., Lindström, M., Möller, S., Petitt, E., ... Andersson, G. (2012). Psychodynamic Guided Self-Help for Adult Depression through the Internet: A Randomised Controlled Trial. (A. Bruce, Ed.) <i>PLoS ONE</i> , 7(5),	Depression	IPDT (SUBGAP, Silverberg, 2005)	Psychoeducation + support
79.	Johansson , R., Björklund, M., Hornborg, C., Karlsson, S., Hesser, H., Ljótsson, B., ... Andersson, G. (2013). Affect-focused psychodynamic psychotherapy for depression and anxiety through the Internet: a randomized controlled trial. <i>PeerJ</i> , 1, e102. doi:10.7717/peerj.102	Depression and/or anxiety	IPDT (Affect-focused, Frederick, 2009)	Online therapist support and clinical monitoring
80.	Jørgensen , C. R., Freund, C., Bøye, R., Jordet, H., Andersen, D., & Kjølbye, M. (2012). Outcome of mentalization-based and supportive psychotherapy in patients with borderline personality disorder: a randomized trial. <i>Acta psychiatrica Scandinavica</i> , 1-13.	Borderline Personality disorder	Mentalization-Based Therapy (MBT; Bateman & Fonagy, 2001)	Supportive group therapy
81.	Keller , W., Pritsch, M., Von Wietersheim, J., Scheib, P., Osborn, W., & Balck, F., et al.	Crohn's Disease	PDT+relaxation+drug treatment, no manual was	Drug treatment

	(2004). Effect of psychotherapy and relaxation on the psychosocial and somatic course of Crohn's disease: main results of the German Prospective Multicenter Psychotherapy Treatment study on Crohn's Disease. <i>J Psychosom Res</i> , 56, 687-696.		used but reference to: Luborsky L. (1984) Principles of psychoanalytic psychotherapy. New York: Basic books.	
82.	Klein , D. F., Zitrin, C. M., Woerner, M. G., & Ross, D. C. (1983). Treatment of Phobias. <i>Archives of General Psychiatry</i> , 139-145.	Phobias	Supportive therapy (dynamically oriented; no reference)	Behavior therapy (no reference)
83.	Kleinman , P. H., Woody, G. E., Todd, T. C., Millman, R. B., Kang, S. Y., & Kemp, J., et al. (1990). Crack and cocaine abusers in outpatient psychotherapy. <i>NIDA Res Monogr</i> , 104, 24-35.	Crack and cocaine abuse (dependency?)	Supportive-Expressive Therapy (Luborsky, 1984)	Family therapy + para professionally led group therapy
84.	Knekt , P., & Lindfors, O. (2004). A randomized trial of the effect of four forms of psychotherapy on depressive and anxiety disorders. Helsinki: Kela. Knekt , P., Lindfors, O., Ske, L. S. Ä., & Virtala, E. S. A. (2013). Randomized trial on the effectiveness of long- and short-term psychotherapy on psychiatric symptoms and working ability during a 5-year follow-up. <i>Nordic journal of psychiatry</i> , (9). Lindfors , O., Knekt, P., Heinonen, E., Härkänen, T., Virtala, E., & The Helsinki Psychotherapy Study Group. (2015). The effectiveness of short- and long-term psychotherapy on personality functioning during a 5-year follow-up. <i>Journal of Affective Disorders</i> , 173, 31-8. doi:10.1016/j.jad.2014.10.039 Lindfors , O., Knekt, P., Heinonen, E., Härkänen, T., Virtala, E., & The Helsinki Psychotherapy Study Group. (2015). The effectiveness of short- and long-term psychotherapy on personality functioning during a 5-year follow-up. <i>Journal of Affective Disorders</i> , 173, 31-8. doi:10.1016/j.jad.2014.10.039	Depression/Anxiety	STPP (Malan, 1976; Sifneos, 1978)	Solution-focused therapy (reference?) LTPP (Gabbard, 2004)
85.	Knijnik , D. Z., Kapczinski, F., Chachamovich, E., Margis, R., & Eizirik, C. L. (2004). Psychodynamic group treatment for generalized social phobia. <i>Revista Brasileira de Psiquiatria (São Paulo, Brazil : 1999)</i> , 26(2), 77-81. doi:/S1516-44462004000200003	Social anxiety disorder	Psychodynamic group therapy (Malan, 1976)	Credible placebo group
86.	Knijnik , D. Z., Salum, G. A., Blanco, C., Moraes, C., Hauck, S., & Mombach, C. K., et al. (2009). Defense style changes with the addition of psychodynamic group therapy to clonazepam in social anxiety disorder. <i>J Nerv Ment Dis</i> , 197, 547-551.	Social anxiety disorder	Psychodynamic group therapy (Malan, 1976) plus clonazepam	Clonazepam
87.	Kompoliti , K., Wilson, B., Stebbins, G., Bernard, B., & Hinson, V. (2013). Immediate vs. delayed treatment of psychogenic movement disorders with short-term psychodynamic psychotherapy: Randomized clinical trial. <i>Parkinsonism & related disorders</i> , 7-10.	Psychogenic movement disorders	ISTDP (Davanloo, 1980)	Neurological observation and support
88.	Kool , S., Dekker, J., & Duijsens, I. (2003). Efficacy of combined therapy and pharmacotherapy for depressed patients with or without personality disorders. <i>Harvard review of psychiatry</i> , 133-142.	Depression	STDP (de Jonghe, 2005) and pharmacotherapy	pharmacotherapy
89.	Kornblith , S., Rehm, L., W, O. M., & Lamparski, D. M. (1983). The contribution of self-reinforcement training and behavior assignments to the efficacy of self-control	Depression	Psychodynamic group therapy (Bernard & Klein, 1977)	(1) self-monitoring, self-evaluation, and self-reinforcement training (principles and

	therapy for depression. <i>Cogn Ther Res</i> , 7, 499-528.			assignments); (2) self-monitoring and self-evaluation training (principles and assignments); (3) didactic training of principles as in condition 1 without behavioral assignments
90.	Kramer, U., de Roten, Y., Perry, J. C., & Despland, J.-N. (2013). Change in defense mechanisms and coping patterns during the course of 2-year-long psychotherapy and psychoanalysis for recurrent depression: a pilot study of a randomized controlled trial. <i>The Journal of nervous and mental disease</i> , 201(7), 614–20. doi:10.1097/NMD.0b013e3182982982	Recidiverande depression	Supportive-Expressive Therapy (Luborsky, 1984)	Cognitive therapy (Beck, 1995) Psychoanalysis (Robertson, 2002). Clinical management (Csank, 2002; Novalis et al., 1993). All patients were given pharmacological treatment
91.	Lanza, M. L., Anderson, J., Boisvert, C. M., LeBlanc, A., Fardy, M., & Steel, B., et al. (2002). Assaultive behavior intervention in the Veterans Administration: psychodynamic group psychotherapy compared to cognitive behavior therapy. <i>Perspect Psychiatr Care</i> , 38, 89-97.	Male veterans with history of assault	Psychodynamic group psychotherapy (no specific reference)	Cognitive behavior group therapy (No specific reference)
92.	LaPonite, K., & Rimm, D. C. (1980). Cognitive, assertive, and insight-oriented group therapies in the treatment of reactive depression in women. <i>Psychotherapy: Theory, Research & Practice</i> , 17(3), 312–321.	Depression	Insight-oriented group therapy (No reference)	Cognitive group therapy (Beck, 19767) Assertiveness training (no reference)
93.	Lau, M., & Kristensen, E. (2007). Outcome of systemic and analytic group psychotherapy for adult women with history of intrafamilial childhood sexual abuse: a randomized controlled study. <i>Acta Psychiatr Scand</i> , 116, 96-104.	Women with childhood sexual abuse	Analytic group therapy (Foulkes, 1986)	Systemic group therapy (Holme, 1999)
94.	Lerner, A., Sigal, M., Bacalu, A., & Gelkopf, M. (1992). Short term versus long term psychotherapy in opioid dependence: A pilot study. <i>Israeli Journal of Psychiatry and Related Sciences</i> , 29(2), 114–9.	Opioid dependence	Could no find article	
95.	Lawson, D. M. (2010). Comparing cognitive behavioral therapy and integrated cognitive behavioral therapy/psychodynamic therapy in group treatment for partner violent men. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 47(1), 122–133. doi:10.1037/a0018841	Violent men	Integrative CBT- psychodynamic group therapy (Strupp & Binder, 1984)	CBT (Lawson, 2001)
96.	Leichsenring, F., Salzer, S., Jaeger, U., Kächele, H., Kreische, R., & Leweke, F., et al. (2009). Short-Term Psychodynamic Psychotherapy and Cognitive-Behavioral Therapy in Generalized Anxiety Disorder: A Randomized, Controlled Trial. <i>Am J Psychiatry</i> , 166, 875-881. Salzer, S., Winkelbach, C., Leweke, F., Leibing, E., & Leichsenring, F. (2011). Generalized Anxiety Disorder: 12-Month Follow-Up. <i>Canadian Journal of Psychiatry</i> , 56(8).	Generalized anxiety disorder (GAD)	Supportive-Expressive Therapy (Luborsky, 1984)	CBT (Borcovec & Rucio, 2001, Brown, 1993)
97.	Leichsenring, F., Salzer, S., Beutel, M. E., Herpertz, S., Hiller, W., Hoyer, J., ... Leibing, E. (2013). Psychodynamic Therapy and Cognitive-Behavioral Therapy in Social Anxiety Disorder: A Multicenter Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , (14), 1–9.	Social Anxiety Disorder (SAD)	Supportive-Expressive Therapy (Luborsky, 1984)	CBT (Clark & Wells, 1995)

	Leichsenring, F., Salzer, S., Beutel, M. E., Herpertz, S., Hiller, W., Hoyer, J., ... Leibing, E. (2014). Long-Term Outcome of Psychodynamic Therapy and Cognitive-Behavioral Therapy in Social Anxiety Disorder. <i>American Journal of Psychiatry</i> , (6), 1–9.			
98.	Leichsenring, F., Masuhr, O., Jaeger, U., Rabung, S., Dally, A., Dumpelmann, M., ... Streeck, U. (2016). Psychoanalytic-Interactional Therapy versus Psychodynamic Therapy by Experts for Personality Disorders: A Randomized Controlled Efficacy-Effectiveness Study in Cluster B Personality Disorders. <i>Psychotherapy and Psychosomatics</i> , 71–80.	Cluster B personality disorders	Psychoanalytic-Interactional Therapy (Streeck, 2016)	Psychodynamic therapy by experts
99.	Lemma, A., & Fonagy, P. (2013). Feasibility study of a psychodynamic online group intervention for depression. <i>Psychoanalytic Psychology</i> , 30(3), 367–380. doi:10.1037/a0033239	Depression	Online Group Dynamic Interpersonal Therapy (OLDIT; Fonagy & Target, 2008)	Internet discussion group
100.	Levy Berg, A., Sandell, R., & Sandahl, C. (2009). Affect-focused body psychotherapy in patients with generalized anxiety disorder: Evaluation of an integrative method. <i>Journal of Psychotherapy Integration</i> , 19(1), 67–85. doi:10.1037/a0015324	GAD	Affect-Focused Body Psychotherapy (Monsen & Monsen, 2000)	TAU
101.	Lieberman, R. P., & Eckman, T. (1981). Behavior therapy vs insight-oriented therapy for repeated suicide attempters. <i>Archives of General Psychiatry</i> , 38(10), 1126–1130. doi:10.1001/archpsyc.1981.01780350060007	Repeated suicide attempts	Insight-Oriented Psychotherapy	Behavior Therapy
102.	Linnert, J., & Jemec, G. B. (2001). Anxiety level and severity of skin condition predicts outcome of psychotherapy in atopic dermatitis patients. <i>Int J Dermatol</i> , 40, 632-636.	Atopic dermatitis (anxiety)	Brief Dynamic Psychotherapy (Malan, 1992)	Control (TAU?)
103.	Lipsitz, J. D., Gur, M., Vermes, D., Petkova, E., Cheng, J., Miller, N., ... Fyer, A. J. (2008). A randomized trial of interpersonal therapy versus supportive therapy for social anxiety disorder. <i>Depression and Anxiety</i> , 25(6), 542–553.	Social anxiety	Psychodynamic Supportive Therapy	Interpersonal Therapy
104.	Lock, J., Grange, D. Le, & Agras, W. (2010). Randomized clinical trial comparing family-based treatment with adolescent-focused individual therapy for adolescents with anorexia nervosa. <i>Archives of General ...</i> , 67(10), 1025–1032. doi:10.1001/archgenpsychiatry.2010.128.	Anorexia	Adolescent Focused Therapy (AFT, Robin et al.,	Treatments Family-Based Treatment (FBT; Locke et al., 2001)
105.	Lorentzen, S., Ruud, T., Fjeldstad, A., & Høglend, P. (2013). Comparison of short- and long-term dynamic group psychotherapy: randomised clinical trial. <i>The British journal of psychiatry : the journal of mental science</i> . Lorentzen, S., Ruud, T., Fjeldstad, A., & Høglend, P. a. (2014). Personality disorder moderates outcome in short- and long-term group analytic psychotherapy: A randomized clinical trial. <i>The British Journal of Clinical Psychology / the British Psychological Society</i> , 1–18. doi:10.1111/bjc.12065	Anxiety and personality disorders	Long-Term Psychodynamic Group Therapy (Lorentzen, 2013)	Short-Term Psychodynamic Group Therapy (Lorentzen, 2013)
106.	Ludwig, G., Krenz, S., Zdrojewski, C., Bot, M., Rousselle, I., Stagno, D., ... Stiefel, F. (2013). Psychodynamic interventions in cancer care I: psychometric results of a randomized	Psychiatric symptoms in cancer patients	Brief Dynamic Psychotherapy (Mann, Davanloo)	Waitlist

	controlled trial. <i>Psycho-oncology</i> , (July 2009).			
107.	Maina, G., Forner, F., & Bogetto, F. (2005). Randomized controlled trial comparing brief dynamic and supportive therapy with waiting list condition in minor depressive disorders. <i>Psychother Psychosom</i> , 74, 43-50.	Mild to moderate depression	Brief Dynamic Psychotherapy (BDP; Malan, 1979)	Brief Supportive Psychotherapy (BSP; Novalis et al., 1993)) Waitlist
108.	Maina, G., Rosso, G., Crespi, C., & Bogetto, F. (2007). Combined brief dynamic therapy and pharmacotherapy in the treatment of major depressive disorder: a pilot study. <i>Psychotherapy and Psychosomatics</i> , 76(5), 298–305. doi:10.1159/000104706 Maina, G., Rosso, G., & Bogetto, F. (2009). Brief dynamic therapy combined with pharmacotherapy in the treatment of major depressive disorder: long-term results. <i>Journal of Affective Disorders</i> , 114(1-3), 200–7. doi:10.1016/j.jad.2008.07.010	Depression	Brief Dynamic Psychotherapy (BDP; Malan, 1963; 1976) + medication	Brief Supportive Psychotherapy (BSP; Novalis et al., 1993)) + medication
109.	Maina, G., Rosso, G., Rigardetto, S., Chiadò Piat, S., & Bogetto, F. (2010). No effect of adding brief dynamic therapy to pharmacotherapy in the treatment of obsessive-compulsive disorder with concurrent major depression. <i>Psychotherapy and Psychosomatics</i> , 79(5), 295–302.	OCD + depression	Brief Dynamic Psychotherapy (BDP; Malan, 1979) + medication	Medication only
110.	Manos, N., & Vasilopoulou, E. (1983). Evaluation of psychoanalytic psychotherapy outcome. <i>Acta Psychiatrica Scandinavia</i> , 70, 28-35.	Mixed sample	Psychoanalytically oriented psychotherapy (no reference)	No-treatment
111.	Marmor, C. R., Horowitz, M. J., Weiss, D. S., Wilner, N. R., & Kaltreider, N. B. (1988). A controlled trial of brief psychotherapy and mutual-help group treatment of conjugal bereavement. <i>Am J Psychiatry</i> , 145, 203-209.	Bereavement	Brief Dynamic Psychotherapy (BDP; Malan, Sifneos; Mann)	Mutual Self-Help Groups
112.	Martini, B., Rosso, G., Chiodelli, D. F., De Cori, D., & Maina, G. (2011). Brief dynamic therapy combined with pharmacotherapy in the treatment of panic disorder with concurrent depressive symptoms. <i>Clinical Neuropsychiatry</i> , 8(3), 204–21.	Panic + depression	Brief Dynamic Psychotherapy (BDP; Malan, 1963) + medication	Brief Supportive Psychotherapy (BSP) + medication
113.	McCallum, M., & Piper, W. E. (1990). A controlled study of effectiveness and patient suitability for short-term group psychotherapy. <i>Int J Group Psychother</i> , 40, 431-452.	Mixed sample	Short-term psychoanalytically oriented group psychotherapy (STG)	Waitlist
114.	McLean, P., & Hakstian, A. (1979). Clinical depression: comparative efficacy of outpatient treatments. <i>J Consult Clin Psychol</i> , 47, 818-836.	Depression	Short-Term psychotherapy (Marmor, 1975; Wolberg, 1967)	Relaxation therapy (no reference) Behavior therapy (McLean, 1976) Drug therapy
115.	McMain, S. F., Links, P. S., Gnam, W. H., Guimond, T., Cardish, R. J., & Korman, L., et al. (2009). A randomized trial of dialectical behavior therapy versus general psychiatric management for borderline personality disorder. <i>Am J Psychiatry</i> , 166, 1365-1374. McMain, S., Guimond, T., & Streiner, D. (2012). Dialectical Behavior Therapy Compared With General Psychiatric Management for Borderline Personality Disorder: Clinical Outcomes and Functioning Over a 2-Year Follow-Up. <i>American Journal</i>	Borderline personality disorder	General psychiatric management, dynamically informed therapy (Gunderson, 1984)	Dialectical Behavior Therapy (DBT; Linehan et al., 1991)

	<i>of Psychiatry</i> , 650–661.			
116.	Meyer, A. E., & Bolz, W. (1981). The Hamburg short psychotherapy comparison experiment. Foreward and introduction. <i>Psychother Psychosom</i> , 35, 81-84.	Mixed sample	Psychodynamic conflict-centered time-limited psychotherapy (no reference)	Waitlist
117.	Miller, L. C., Barrett, C. L., Hampe, E., & Noble, H. (1972). Comparison of reciprocal inhibition, psychotherapy, and waiting list control for phobic children. <i>Journal of Abnormal Psychology</i> , 79(3), 269–279. Retrieved from http://psycnet.apa.org/journals/abn/79/3/269/	Phobic children	Play psychotherapy (Lippman, 1956)	Reciprocal inhibition
118.	Milrod, B., Leon, A. C., Busch, F., Rudden, M., Schwalberg, M., & Clarkin, J., et al. (2007). A randomized controlled clinical trial of psychoanalytic psychotherapy for panic disorder. <i>Am J Psychiatry</i> , 164, 265-272.	Panic disorder	Panic-Focused Psychodynamic Psychotherapy (PFPP; Milrod et al, 1997)	Applied relaxation (Öst & Westling, 1995)
119.	Milrod, B., Chambless, D. L., Gallop, R., Busch, F. N., Schwalberg, M., McCarthy, K. S., ... Barber, J. P. (2015). Psychotherapies for Panic Disorder: A Tale of Two Sites. <i>The Journal of Clinical Psychiatry</i> , 10065, 1–9. doi:10.4088/JCP.14m09507	Panic disorder	Panic-Focused Psychodynamic Psychotherapy (PFPP; Milrod et al, 2001)	CBT (Craske, 2000) Applied relaxation (Öst & Westling, 1995)
120.	Moghadam, M. N. (2015). Effectiveness of Short-term Dynamic Psychotherapy versus Sertraline in Treatment of Social Phobia, 9(2), 2–6.	Social phobia	Affect Phobia Therapy (APT; McCullough et al., 2003)	Sertraline Waitlist
121.	Monsen, K., & Monsen, J. T. (2000). Chronic Pain and Psychodynamic Body Therapy: A Controlled Outcome Study. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 37(3), 257–269.	Chronic pain	Psychodynamic body therapy (Monsen & Monsen, 1999)	TAU
122.	Montag, C., Haase, L., Seidel, D., Bayerl, M., Gallinat, J., Herrmann, U., & Dannecker, K. (2014). A Pilot RCT of Psychodynamic Group Art Therapy for Patients in Acute Psychotic Episodes: Feasibility, Impact on Symptoms and Mentalising Capacity. <i>PLoS One</i> , 9(11), e112348. doi:10.1371/journal.pone.0112348	Schizophrenia	Psychodynamic art therapy (Dannecker, 2010)	TAU
123.	Munroe-Blum, H., & Marziali, E. (1995). A controlled trial of short-term group treatment for borderline personality disorder. <i>J Personal Disord</i> , 9, 190-198.	Borderline personalisty disorder	Time-limited group therapy (Marziali & Munroe-Blum, 1995)	Individual psychodynamic psychotherapy (Kernberg, 1975)
124.	Muran, J. C., Safran, J. D., Samstag, L. W., & Winston, A. (2005). Evaluating an alliance-focused treatment for personality disorders. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 42(4), 532–545.	Personality disorders	Brief Relational Therapy (BRT; Safran & Muran, 2000) Short-Term Dynamic Psychotherapy (STDP: Pollack, Flegenheimer, & Kaufman, 1992) Nämner även Luborsky (1984) men bara som liknelse?	Cognitive– behavioral therapy (CBT; Turner & Muran, 1992; Beck, Freeman, & Associates, 1990)
125.	Öjehagen, A., Berglund, M., Appel, C. P., Andersson, K., Nilsson, B., & Skjaeris, A., et al. (1992). A randomized study of long-term out-patient treatment in alcoholics. Psychiatric treatment versus multimodal behavioural therapy, during 1 versus 2 years of treatment. <i>Alcohol Alcohol</i> , 27, 649-658.	Alcoholics	“Psychiatric treatment” based on psychodynamic principles (Luborsky, 1984)	Multimodal behavior therapy (Lazarus, 1981)
126.	Pierloot, R., & Vinck, J. (1978). Differential outcome of short-term dynamic psychotherapy and systematic desensitizations in the treatment of anxious outpatients: A preliminary report. <i>Psychologica Belgica</i> , 18, 87-98.	Anxious out-patients	Short-Term Dynamic Psychotherapy (Malan, 1963)	Systematic desensitization (Wolpe, 1969)
127.	Piper, W. E., Debbane, E. G., Bienvu, J. P.,	Mixed sample	Short-term individual (STI);	Short-term group (STG)

	& Garant, J. (1984). A comparative study of four forms of psychotherapy. <i>J Consult Clin Psychol</i> , 52, 268-279.		Malan, 1976)	Long-term individual (LTI) Long-term group (LTG) Non manuals
128.	Piper, W. E., Azim, H. F., McCallum, M., & Joyce, A. S. (1990). Patient suitability and outcome in short-term individual psychotherapy. <i>J Consult Clin Psychol</i> , 58, 475-481.	Mixed sample	STDP (Malan, 1976; Strupp & Binder, 1984)	Waitlist
129.	Piper, W. E., Joyce, a S., McCallum, M., & Azim, H. F. (1998). Interpretive and supportive forms of psychotherapy and patient personality variables. <i>Journal of consulting and clinical psychology</i> , 66(3), 558-67. Piper, W. E., McCallum, M., Joyce, a S., Azim, H. F., & Ogrodniczuk, J. S. (1999). Follow-up findings for interpretive and supportive forms of psychotherapy and patient personality variables. <i>Journal of consulting and clinical psychology</i> , 67(2), 267-73.	Mixed sample	Interpretive psychotherapy (Piper, Azim, Joyce, & McCallum, 1993)	Supportive psychotherapy (Piper, Azim, Joyce, & McCallum, 1993)
130.	Piper, W. E., McCallum, M., Joyce, A. S., Rosie, J. S., & Ogrodniczuk, J. S. (2001). Patient personality and time-limited group psychotherapy for complicated grief. <i>Int J Group Psychother</i> , 51, 525-552. Piper, W. E., Ogrodniczuk, J. S., Joyce, A. S., Weideman, R., & Rosie, J. S. (2007). Group composition and group therapy for complicated grief. <i>Journal of Consulting and Clinical Psychology</i> , 75(1), 116-25. doi:10.1037/0022-006X.75.1.116 Piper, W. E., Ogrodniczuk, J. S., Joyce, A. S., & Weideman, R. (2009). Follow-up outcome in short-term group therapy for complicated grief. <i>Group Dynamics: Theory, Research, and Practice</i> , 13(1), 46-58. doi:10.1037/a0013830	Complicated grief	Interpretive group therapy (no specific reference)	Supportive group therapy (no specific reference)
131.	Poulsen, A. (1991). Psychodynamic, time-limited group therapy in rheumatic disease--a controlled study with special reference to alexithymia. <i>Psychother Psychosom</i> , 56, 12-23.	Rheumatic disease	Time-limited group therapy (Foulkes, 1975)	Waitlist
132.	Poulsen, S., Lunn, S., Daniel, S. I. F., Folke, S., Mathiesen, B. B., Katznelson, H., & Fairburn, C. G. (2013). A Randomized Controlled Trial of Psychoanalytic Psychotherapy or Cognitive-Behavioral Therapy for Bulimia Nervosa. <i>The American journal of psychiatry</i> , 1-8.	Bulimia	Psychoanalytic Psychotherapy for bulimia nervosa (Lunn & Poulsen, 2012)	CBT (Fairburn, 2008)
133.	Reneses, B., Galián, M., Serrano, R., Figuera, D., Fernandez Del Moral, A., López-Ibor, J. J., ... Trujillo, M. (2013). A new Time Limited Psychotherapy for BPD: Preliminary Results of a Randomized and Controlled Trial. <i>Actas españolas de psiquiatría</i> , 41(3), 139-48. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/23803797	Borderline personality disorder	Representation focused Psychotherapy (PRFP; (Trujillo, 2001; 2010)	TAU
134.	Ridsdale, L., Godfrey, E., Chalder, T., Seed, P., King, M., Wallace, P., & Wessely, S. (2001). Chronic fatigue in general practice: is counselling as good as cognitive behaviour therapy? A UK randomised trial. <i>The British Journal of General Practice : The</i>	Chronic fatigue	Counselling “...all counsellors used a psychodynamic approach and all cognitive behaviour therapists used CBT” (p.	CBT

	<i>Journal of the Royal College of General Practitioners</i> , 51(462), 19–24.		20)	
135.	Robin , A. L., Siegel, P. T., & Moye, a. (1995). Family versus individual therapy for anorexia: impact on family conflict. <i>The International Journal of Eating Disorders</i> , 17(4), 313–22. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/7620470 Robin , A. L., Siegel, P. T., Moye, A. W., Gilroy, M., Dennis, A. B., & Sikand, A., et al. (1999). A controlled comparison of family versus individual therapy for adolescents with anorexia nervosa. <i>J Am Acad Child Adolesc Psychiatry</i> , 38, 1482-1489.	Anorexia	Ego-oriented individual therapy (EOIT) (Robin, Siegel, Moye, Koepke, & Tice, 1994)	Behavioral family systems therapy (BFST; Robin et al., 1994, 1996)
136.	Rosenbaum , B., Harder, S., Knudsen, P., Køster, A., Lindhardt, A., Lajer, M., ... Winther, G. (2012). Supportive Psychodynamic Psychotherapy versus Treatment as Usual for First-Episode Psychosis: Two-Year Outcome. <i>Psychiatry</i> , 75(4), 331–41. Harder , S., Koester, A., Valbak, K., & Rosenbaum, B. (2014). Five-year follow-up of supportive psychodynamic psychotherapy in first-episode psychosis: long-term outcome in social functioning. <i>Psychiatry</i> , 77(2), 155–68. doi:10.1521/psyc.2014.77.2.155	Schizophrenia	Supportive Psychodynamic Psychotherapy (SPP; Rosenbaum, 2009)	TAU
137.	Rosser , R., Denford, J., Heslop, A., Kinston, W., Macklin, D., & Minty, K., et al. (1983). Breathlessness and psychiatric morbidity in chronic bronchitis and emphysema: a study of psychotherapeutic management. <i>Psychol Med</i> , 13, 93-110.	Breathlessness and psychiatric morbidity in chronic bronchitis and emphysema	Analytical psychotherapy No specific reference.	No treatment Nurse Support
138.	Rosso , G., Martini, B., & Maina, G. (2012). Brief dynamic therapy and depression severity: A single-blind, randomized study. <i>Journal of affective disorders</i> , 1–6.	Depression	Brief Dynamic Psychotherapy (BDP; Malan, 1976)	Brief Supportive Psychotherapy (BSP; Novalis et al., 1993
139.	Rossouw , T. I., & Fonagy, P. (2012). Mentalization-based treatment for self-harm in adolescents: a randomized controlled trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 51(12), 1304–1313.	Adolescents who self-harm	Mentalization-based treatment for adolescents (MBT-A; Rossouw, unpublished)	TAU
140.	Salminen , J. K., Karlsson, H., Hietala, J., Kajander, J., Aalto, S., & Markkula, J., et al. (2008). Short-term psychodynamic psychotherapy and fluoxetine in major depressive disorder: a randomized comparative study. <i>Psychother Psychosom</i> , 77, 351-357.	Depression	Short-term psychodynamic psychotherapy (STDP; Malan, 1976; Mann, 1973)	Fluoxetine
141.	Salomonsson , B., & Sandell, R. (2011). A randomized controlled trial of mother–infant psychoanalytic treatment: I. Outcomes on self-report questionnaires and external ratings. <i>Infant Mental Health Journal</i> , 32(2), 207–231. doi:10.1002/imhj.	Mother's who worry about child	Mother–infant psychoanalytic treatment (MIP; Norman, 2001; 2004)	Child Health Center Care (TAU)
142.	Salzer , S., Cropp, C., Jaeger, U., Masuhr, O., & Streeck-Fischer, a. (2013). Psychodynamic therapy for adolescents suffering from comorbid disorders of conduct and emotions in an in-patient setting: a randomized controlled trial. <i>Psychological medicine</i> , 1–10.	Mixed sample of adolescents	Psychoanalytic-interactive method (PiM; Streeck & Leichsenring, 2009; Leichsenring et al., 2010)	Waitlist/TAU
143.	Sanchez , V. C., Lewinsohn, P. M., & Larson, D. W. (1980). Assertion training: effectiveness in the treatment of depression. <i>J Clin Psychol</i> , 36, 526-529.	Depression	“Traditional” Group Therapy (No specific reference)	Assertion training (manualiserad av författarna)

144.	Sandahl, C., Herlitz, K., Ahlin, G., & Rönnerberg, S. (1998). Time-limited group psychotherapy for moderately alcohol dependent patients: A randomized controlled clinical trial. <i>Psychotherapy Research, 8</i> , 361-378.	Alcohol dependence	Time-limited group psychotherapy (Foulkes, 1964)	Cognitive-behavioural group therapy (Annis, 1986; Marlatt & Gordon, 1985; Sandahl and Rönnerberg, 1990)
145.	Sandahl, C., Lundberg, U., Lindgren, A., Rylander, G., Herlofson, J., Nygren, A., & Asberg, M. (2011). Two forms of group therapy and individual treatment of work-related depression: a one-year follow-up study. <i>International journal of group psychotherapy, 61</i> (4), 539–55.	Depression (work-related)	Focused psychodynamic group therapy (FGT; Sandahl & Lindgren, 2003)	Cognitive Group Therapy (no reference) Comparison condition
146.	Sattel, H., Lahmann, C., Gündel, H., Guthrie, E., Kruse, J., Noll-Hussong, M., ... Henningsen, P. (2011). Brief psychodynamic interpersonal psychotherapy for patients with multisomatoform disorder: randomised controlled trial. <i>The British journal of psychiatry : the journal of mental science, 60–67</i> .	Multisomatoform disorder	Psychodynamic-interpersonal psychotherapy (Guthrie, 2011; Henningsen, 2011)	Enhanced medical care
147.	Saunders, D. G. (1996). Feminist-cognitive-behavioral and process-psychodynamic treatments for men who batter: interaction of abuser traits and treatment models. <i>Violence Vict, 11</i> , 393-414.	Violent men	Process-psychodynamic group therapy (PPT; Browne, Saunders, & Staecker, in press)	Feminist-group CBT (FCBT; Browne, Saunders, & Staecker, in press)
148.	Scheidt, C. E., Waller, E., Endorf, K., Schmidt, S., König, R., Zeeck, A., ... Lacour, M. (2012). Is brief psychodynamic psychotherapy in primary fibromyalgia syndrome with concurrent depression an effective treatment? A randomized controlled trial. <i>General hospital psychiatry</i> .	Fibromyalgia + depression	Psychodynamic-interpersonal psychotherapy (Hobson, 1985; Goldberg et al., 1984; Guthrie, 2013)	TAU
149.	Shaffer, H. J., LaSalvia, T. A., & Stein, J. P. (1997). Comparing Hatha yoga with dynamic group psychotherapy for enhancing methadone maintenance treatment: a randomized clinical trial. <i>Altern Ther Health Med, 3</i> , 57-66.		Could not find study...	
150.	Shapiro, D., & Firth, J. (1987). Prescriptive v. Exploratory Psychotherapy Outcomes of the Sheffield Psychotherapy Project. <i>The British Journal of Psychiatry, 151</i> , 790-799 Shapiro, D. a, & Firth-Cozens, J. (1990). Two-year follow-up of the Sheffield Psychotherapy Project. <i>The British journal of psychiatry, 157</i> , 389–91.	Deression and anxiety	Exploratory therapy No specific reference	Prescriptive therapy No specific reference
151.	Shapiro, D. A., Barkham, M., Rees, A., Hardy, G. E., Reynolds, S., & Startup, M., et al. (1994). Effects of treatment duration and severity of depression on the effectiveness of cognitive-behavioral and psychodynamic-interpersonal psychotherapy. <i>J Consult Clin Psychol, 62</i> , 522-534.	Depression	Psychodynamic-interpersonal psychotherapy (Hobson, 1985; Goldberg et al., 1984)	Cognitive Therapy (CT; Beck, Rush, Shaw, and Emery, 1979)
152.	Shefler, G., Dasberg, H., & Ben-Shakhar, G. (1995). A randomized controlled outcome and follow-up study of Mann's time-limited psychotherapy. <i>J Consult Clin Psychol, 63</i> , 585-593.	Mixed sample	Time-Limited Psychotherapy (TLP; Mann, 1973)	Wait list
153.	Sifneos, P. E., Apfel, R. J., Bassuk, E., Fishman, G., & Gill, A. (1980). Ongoing outcome research on short-term dynamic psychotherapy. <i>Psychotherapy and Psychosomatics, 33</i> , 233-241	Mixed sample	Short-term anxiety-provoking psychotherapy (STAPP)	Wait list
154.	Simpson, S., Corney, R., Fitzgerald, P., & Beecham, J. (2003). A randomized controlled trial to evaluate the effectiveness and costeffectiveness of psychodynamic counselling for general practice patients with chronic depression. <i>Psychol Med, 33</i> , 229-239.	Chronic depression	Psychodynamic counselling (Burton, 1998)	General practice
155.	Sjodin, I., Svedlund, J., Ottosson, J. O., &	Peptic ulcer disease	Short-Term Dynamic	Medication

	Dotevall, G. (1986). Controlled study of psychotherapy in chronic peptic ulcer disease. <i>Psychosomatics</i> , 27, 187-91, 195.		Therapy (Malan, 1976)	
156.	Sloane , R. B., Staples, F. R., Cristol, A. H., Yorkston, N. J., & Whipple, K. (1975). Short-term analytically oriented psychotherapy versus behavior therapy. <i>American Journal of Psychiatry</i> , 132, 373-377.	Anxiety or personality disorder	Short-Term Analytically Oriented Psychotherapy No specific reference	Wait list Behavior Therapy No specific reference
157.	Smyrniotis , K. X., & Kirkby, R. J. (1993). Long-term comparison of brief versus unlimited psychodynamic treatments with children and their parents. <i>J.Consult.Clin.Psychol.</i> , 61, 1020-1027.	Children with mixed problems	Time-limited brief psychotherapy (Smyrniotis, Kirkby, Smyrniotis, & Picone, 1987)	Time-unlimited psychotherapy (Klein, 1975; Segal, 1978)
158.	Snyder , D. K., Wills, R. M., & Grady-Fletcher, a. (1991). Long-term effectiveness of behavioral versus insight-oriented marital therapy: a 4-year follow-up study. <i>Journal of Consulting and Clinical Psychology</i> , 59(1), 138-41.	Couples with relational problems	Insight-Oriented Marital Therapy (IOMT; no specific reference.	Behavioral Marital Therapy (BMT; no specific reference.
159.	Stanton , A. H., Gunderson, J. G., Knapp, P. H., Frank, A. F., Vancelli, M. L., & Schnitzer, R., et al. (1984). Effects of psychotherapy in schizophrenia: I. Design and implementation of a controlled study. <i>Schizophr Bull</i> , 10, 520-563.	Schizofreni (non-chronic)	Expressive, insight-oriented psychotherapy (EIO; Stanton, in press)	Reality-adaptive, supportive therapy (RAS; May, 1968)
160.	Steuer , J. L., Mintz, J., Hammen, C. L., Hill, M. A., Jarvik, L. F., Mccarley, T., ... Lissy, F. (1984). Cognitive-Behavioral and Psychodynamic Group Psychotherapy in Treatment of Geriatric Depression mode of treatment for this age group appears. <i>Journal of Consulting and Clinical Psychology</i> , 52(2), 180-189.	Depression among elderly	Psychodynamic Group Psychotherapy (McCarley, 1980)	Cognitive-Behavioral Group Therapy (Emery, 1979)
161.	Svartberg , M., Seltzer, M. H., & Stiles, T. C. (1998). The effects of common and specific factors in short-term anxiety-provoking psychotherapy: a pilot process-outcome study. <i>J Nerv Ment Dis</i> , 186, 691-696.	Mixed sample	Short-term anxiety-provoking psychotherapy (STAPP; Sifneos, 1992)	Non-directive Psychotherapy (NDP; utvecklades specifikt för studien)
162.	Svartberg , M., Stiles, T. C., & Seltzer, M. H. (2004). Randomized, controlled trial of the effectiveness of short-term dynamic psychotherapy and cognitive therapy for cluster C personality disorders. <i>Am J Psychiatry</i> , 161, 810-817.	Personality disorder (Cluster C)	Short-Term Dynamic Psychotherapy (STDP; McCullough Vaillant, 1997)	Cognitive Therapy (CT; Beck & Freeman, 1990)
163.	Svedlund , J., Sjodin, I., Ottosson, J. O., & Dotevall, G. (1983). Controlled study of psychotherapy in irritable bowel syndrome. <i>Lancet</i> , 2, 589-592.	IBS	Brief Dynamic Psychotherapy (Malan, 1979)	Treatment as usual (TAU) (medical)
164.	Szapocznik , J., Rio, A., Murray, E., Cohen, R., Scopetta, M., & Rivas-Vazquez, A., et al. (1989). Structural family versus psychodynamic child therapy for problematic Hispanic boys. <i>J.Consult.Clin.Psychol.</i> , 57, 571-578.	Behavioral problems among boys	Individual psychodynamic child therapy (IPCT) (Adams, 1974; Cooper & Wanerman, 1977)	Structural Family Therapy (SFT; Minuchin & Fishman, 1981; Minuchin, Montalvo, Guerney, Rosman, & Schuman, 1967) Recreational control condition
165.	Sørensen , P., Birket-Smith, M., Wattar, U., Buemann, I., & Salkovskis, P. (2010). A randomized clinical trial of cognitive behavioural therapy versus short-term psychodynamic psychotherapy versus no intervention for patients with hypochondriasis. <i>Psychol Med</i> , 1-11.	Hypochondriasis	Short-Term Psychodynamic Psychotherapy (No specific reference)	Cognitive-behavioural Therapy (CBT; Salkovskis, 1989; Warwick, 1989; Salkovskis et al. 2003) Wait list
166.	Tasca , G., Ritchie, K., Conrad, G., Balfour, L., Gayton, J., & Lybanon, V., et al. (2006). Attachment scales predict outcome in a randomized controlled trial of two group therapies for binge eating disorder: An aptitude by treatment interaction. <i>Psychotherapy Research</i> , 16, 106-121.	Binge eating disorder	Group psychodynamic interpersonal psychotherapy (Tasca et al., 2002; Strupp & Binder, 1984; Malan 1979)	Group cognitive-behavior therapy (GCBT; Wilfley et al., 1996)

167.	Thompson, L. W., Gallagher, D., & Breckenridge, J. S. (1987). Comparative effectiveness of psychotherapies for depressed elders. <i>J Consult Clin Psychol</i> , 55, 385-390.	Depression among elderly	Brief psychodynamic therapy (Horowitz & Kaltreider, 1979)	Cognitive Therapy (CT; Beck, Rush, Shaw, & Emery, 1979) Behavioral Therapy (BT; Gallagher & Thompson, 1981; Lewinsohn, 1974) Delayed-treatment control
168.	Thyme, K. E., Sundin, E. C., Stahlberg, G., Lindstrom, B., Eklof, H., & Wiberg, B., et al. (2007). The outcome of short-term psychodynamic art therapy compared to short-term psychodynamic verbal therapy for depressed women. <i>Psychoanalytic Psychotherapy</i> , 21, 250-264.	Depression among women	Short-Term Psychodynamic Verbal Therapy (Mann, 1973)	Art psychotherapy (no reference)
169.	Trowell, J., Kolvin, I., Weeramanthri, T., Sadowski, H., Berelowitz, M., & Glaser, D., et al. (2002). Psychotherapy for sexually abused girls: psychopathological outcome findings and patterns of change. <i>Br J Psychiatry</i> , 180, 234-247.	Trauma (sexually abused girls)	Individuell terapi Unclear description, no reference?	Psychopedagogical /analytic group therapy
170.	Trowell, J., Joffe, I., Campbell, J., Clemente, C., Almqvist, F., & Soininen, M., et al. (2007). Childhood depression: a place for psychotherapy. An outcome study comparing individual psychodynamic psychotherapy and family therapy. <i>Eur Child Adolesc Psychiatry</i> , 16, 157-167. Garoff, F. F., Heinonen, K., Pesonen, A.-K., & Almqvist, F. (2012). Depressed youth: treatment outcome and changes in family functioning in individual and family therapy. <i>Journal of Family Therapy</i> , 34(1), 4–23.	Depression (children)	Focused Individual Psychotherapy (Malan & Osmimo, 1992; Davanloo, 1978)	Systems Integrative Family Therapy (Byung-Hall, 1995; Will, 1985)
171.	Vinnars, B., Barber, J. P., Norén, K., Gallop, R., & Weinryb, R. M. (2005). Manualized supportive-expressive psychotherapy versus nonmanualized community-delivered psychodynamic therapy for patients with personality disorders: bridging efficacy and effectiveness. <i>Am J Psychiatry</i> , 162, 1933-1940. Vinnars, B., Gallop, R., & Barber, J. P. (2010). Do Personality Problems Improve During Psychodynamic Supportive-Expressive Psychotherapy? Secondary Outcome Results From a Randomized Controlled Trial for Psychiatric Outpatients with Personality Disorders. <i>Psychotherapy</i> , 46(March 2007), 362–375. doi:10.1037/a0017002.	Personality disorder(mixed clusters)	Supportive-Expressive Psychotherapy (SE; Luborsky, 1984)	non-manualized PDT
172.	Vitriol, V. G., Ballesteros, S. T., Florenzano, R. U., Weil, K. P., & Benadof, D. F. (2009). Evaluation of an outpatient intervention for women with severe depression and a history of childhood trauma. <i>Psychiatr Serv</i> , 60, 936-942.	Depression (+ childhood trauma)	Brief psychodynamic psychotherapy Reference to: Kudler H, Blank A, Krupnick J: Psychody- namic therapy, in <i>Treatment of Posttrau- matic Stress Disorder</i> [in Spanish]. Edited by Foa E. Barcelona, Editorial Ariel, 2003 Davies J, Frawley M: <i>Treating the Adult Survivor of Childhood Abuse</i> . New York, Basic Books, 1994	Sedvanlig handling
173.	Watzke, B., Rüdell, H., Jürgensen, R., Koch, U., Kriston, L., Grothgar, B., & Schulz, H.	Mixed sample	Psychodynamic brief group therapy (Heigl-Evers	Cognitive-behavioural group therapy (Fiedler,

	(2010). Effectiveness of systematic treatment selection for psychodynamic and cognitive-behavioural therapy: randomised controlled trial in routine mental healthcare. <i>The British Journal of Psychiatry : The Journal of Mental Science</i> , 197(2), 96–105. doi:10.1192/bjp.bp.109.072835 Watzke, B., Rüdell, H., Jürgensen, R., Koch, U., Kriston, L., Grothgar, B., & Schulz, H. (2012). Longer term outcome of cognitive-behavioural and psychodynamic psychotherapy in routine mental health care: Randomised controlled trial. <i>Behaviour research and therapy</i> , 50(9), 580–587.		et al., 1997)	2001)
174.	Wiborg, I. M., & Dahl, A. A. (1996). Does brief dynamic psychotherapy reduce the relapse rate of panic disorder? <i>Arch Gen Psychiatry</i> , 53, 689-694.	Panic disorder	Brief Dynamic Psychotherapy (BDP; Davanloo, 1978; Malan 1976; 1979; Strupp & Binder, 1984	Clomipramin alone
175.	Wiltink, J., Dippel, A., Szczepanski, M., Thiede, R., Alt, C., & Beutel, M. E., et al. (2007). Long-term weight loss maintenance after inpatient psychotherapy of severely obese patients based on a randomized study: predictors and maintaining factors of health behavior. <i>J Psychosom Res</i> , 62, 691-698.	Severe obesity	Psychodynamic inpatient treatment No manual men tycks baserat på CCRT, referencen går till: Levine F, Luborsky L. The core conflictual relationship method—a demonstration of reliable clinical inferences by the method of mismatched cases. In: Tutman S, Kaye C, Zimmermann M, editors. <i>Object and self: a developmental approach</i> . New York: International University Press, 1981. pp. 501–26.	Behavioral treatment (no specific reference) Behavioral approach was geared at identifying functional determinants of obesity, developing problem-solving strategies and social competence, improving body perception and emotional expression, and promoting pleasurable eating behavior regulated by hunger and satiety.
176.	Winston, A., Pollack, J., McCullough, L., Flegenheimer, W., Kestenbaum, R., & Trujillo, M., et al. (1991). Brief psychotherapy of personality disorders. <i>J Nerv Ment Dis</i> , 179, 188-193. Winston, A, Laikin, M., Pollack, J., Samstag, L. W., McCullough, L., & Muran, J. C. (1994). Short-term psychotherapy of personality disorders. <i>The American journal of psychiatry</i> , 151(2), 190–4.	Personality disorder (mixed clusters)	Short-Term Dynamic Therapy (STDP; Davanloo, 1980) Also reference to Mann, Malan, and Sifneos.	Brief Adaptive Psychotherapy (BAP; Pollack et al., 1991)
177.	Woody, G. E., Luborsky, L., McLellan, A. T., O'Brien, C. P., Beck, A. T., & Blaine, J., et al. (1983). Psychotherapy for opiate addicts. Does it help? <i>Arch Gen Psychiatry</i> , 40, 639-645. Woody, G. E., Luborsky, L., McLellan, A. T., & O'Brien, C. P. (1990). Corrections and Revised analyses for Psychotherapy in Methadone Patients.	Opiate dependence	Supportive-Expressive Psychotherapy (SE; Luborsky, 1977; unpublished manual)	Cognitive-Behavior Therapy (CBT; Beck, unpublished) Drug Counseling (DC; Stockdale & Hargrove, unpublished material, 1977)
178.	Woody, G. E., McLellan, A. T., Luborsky, L., & O'Brien, C. P. (1995). Psychotherapy in community methadone programs: A validation study. <i>American Journal of Psychiatry</i> , 152, 1302-1308.	Opiate dependence	Supportive-Expressive Psychotherapy (SE; Luborsky, 1984)	Drug counseling
179.	Zipfel, S., Wild, B., Groß, G., Friederich, H., Teufel, M., Schellberg, D., ... Zwaan, M. De. (2013). Articles Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in outpatients with anorexia nervosa (ANTOP study): randomised controlled trial. <i>The Lancet</i> , 6736(13), 1–13.	Anorexia	Focal psychodynamic therapy (FPT; Schauenburg et al., 2009)	Enhanced cognitive behaviour therapy (CBT-E; Fairburn, 2008) Optimised treatment as usual

