

	<b>Reference (primary and secondary articles)</b>	<b>Sample</b>	<b>PDT-model</b>	<b>Control</b>
1.	<b>Abbass, A., Sheldon, A., Gyra, J., &amp; Kalpin, A. (2008).</b> Intensive short-term dynamic psychotherapy for DSM-IV personality disorders: a randomized controlled trial. <i>J Nerv Ment Dis, 196</i> , 211-216.	<b>Personality disorders</b>	<b>ISTDP (Davanloo, 1990)</b>	<b>Minimal contact</b>
2.	<b>Ajlchi, B., Ahadi, H., Najati, V., &amp; Delavar, A. (2013).</b> The effectiveness of intensive short-term dynamic psychotherapy in decrease of depression level. <i>European Journal of Experimental Biology, 3(2)</i> , 342-346.	<b>Depression</b>	<b>ISTDP (Davanloo, 1990)</b>	<b>Waitlist</b>
3.	<b>Alstrom, J. E., Nordlund, C. L., Persson, G., Harding, M., &amp; Ljungqvist, C. (1984).</b> Effects of four treatment methods on social phobic patients not suitable for insight-oriented psychotherapy. <i>Acta Psychiatrica Scandinavica, 70</i> , 97-110.	<b>Social phobia</b> (not suitable for insight-oriented psychotherapy, adults)	<b>Supportive dynamic psychotherapy (Dewald, 1964)</b>	<b>Prolonged exposure</b> (in vivo w. therapist)/ + <b>relaxation therapy</b>
4.	<b>Alstrom, J. E., Nordlund, G., Persson, G., Harding, M., &amp; Lundquist, C. (1984).</b> Effects of four treatment methods on agoraphobic women not suitable for insight-oriented psychotherapy. <i>Acta Psychiatrica Scandinavica, 70</i> , 1-17.	<b>Agoraphobic women</b> (not suitable for insight-oriented psychotherapy)	<b>Supportive dynamic psychotherapy (Dewald, 1964)</b>	<b>Prolonged exposure</b> (in vivo w. therapist)/ + <b>relaxation therapy</b>
5.	<b>Amianto, F., Ferrero, A., Pierò, A., Cairo, E., Rocca, G., Simonelli, B., ... Fassino, S. (2011).</b> Supervised team management, with or without structured psychotherapy, in heavy users of a mental health service with borderline personality disorder: a two-year follow-up preliminary randomized study. <i>BMC psychiatry, 11(1)</i> , 181.	<b>Borderline personality disorder</b>	<b>Sequential Brief Adlerian Psychodynamic Psychotherapy (SB-APP; Fassino, 2008;2009)</b>	<b>Supervised team management</b>
6.	<b>Andersson, G., Paxling, B., Roch-Norlund, P., Ostman, G., Norgren, A., Almlöv, J., ... Silverberg, F. (2012).</b> Internet-Based Psychodynamic versus Cognitive Behavioral Guided Self-Help for Generalized Anxiety Disorder: A Randomized Controlled Trial. <i>Psychotherapy and psychosomatics, 81(6)</i> , 344-355.	<b>Generalized Anxiety Disorder</b>	<b>SUBGAP, IPDT (Silverberg, 2005)</b>	<b>ICBT (reference?)</b>
7.	<b>Arnevik, E., Wilberg, T., Urnes, O., Johansen, M., Monsen, J. T., &amp; Karterud, S. (2009).</b> Psychotherapy for personality disorders: short-term day hospital psychotherapy versus outpatient individual therapy - a randomized controlled study. <i>European Psychiatry : The Journal of the Association of European Psychiatrists, 24(2)</i> , 71-8. doi:10.1016/j.eurpsy.2008.09.004  <b>Arnevik, E., Wilberg, T., Urnes, Ø., Johansen, M., Monsen, J. T., &amp; Karterud, S. (2010).</b> Psychotherapy for Personality Disorders: 18 Months' Follow-Up of the Ullevål Personality Project. <i>Journal of Personality Disorders, 24(2)</i> , 188-203.	<b>Personality disorders</b>	<b>Short-Term Day Hospital Psychotherapy (DHP; ingne specific reference)</b>	<b>Outpatient Individual Psychotherapy (no reference)</b>
8.	<b>Bachar, E., Latzer, Y., Kreitler, S., &amp; Berry, E. M. (1999).</b> Empirical comparison of two psychological therapies. Self psychology and cognitive orientation in the treatment of anorexia and bulimia. <i>J Psychother Pract Res, 8</i> , 115-128.	<b>Bulimia</b>	<b>Self Psychological Treatment (based on Kohut, 1984)</b>	<b>Cognitive Orientation Treatment (reference?)</b>
9.	<b>Baldoni, F., Baldaro, B., &amp; Trombini, G. (1995).</b> Psychotherapeutic perspectives in urethral syndrome. <i>Stress Medicine, 11</i> (July 1994), 79-84.	<b>Urethral syndrome</b> Females 18-63	<b>STDP (Malan, 1979; Davanloo, 1980)</b>	<b>TAU</b>
10.	<b>Balottin, U., Ferri, M., Racca, M., Rossi, M., Rossi, G., Beghi, E., ... Termine, C. (2014).</b> Psychotherapy versus usual care in pediatric migraine and tension-type headache: a single-blind controlled pilot study. <i>Italian Journal of Pediatrics, 40(1)</i> , 6.	<b>Idiopathic headache</b> (child/adolescent 6-18 yrs)	<b>STPP (Aliprandi, Pelanda, Senise focus on separation-individuation, Individuell/familj)</b>	<b>TAU</b>
11.	<b>Barber, J. P., Barrett, M. S., Gallop, R., Rynn,</b>	<b>Depression</b>	<b>Supportive Expressive</b>	<b>Placebo</b>

	<p>M. a, &amp; Rickels, K. (2011). Short-term dynamic psychotherapy versus pharmacotherapy for major depressive disorder: a randomized, placebo-controlled trial. <i>The Journal of clinical psychiatry</i>, 1–8.</p> <p><b>Zilcha-Mano, S., Dinger, U., McCarthy, K. S., Barrett, M. S., &amp; Barber, J. P. (2013).</b> Changes in well-being and quality of life in a randomized trial comparing dynamic psychotherapy and pharmacotherapy for major depressive disorder. <i>Journal of affective disorders</i>, 1–5. doi:10.1016/j.jad.2013.10.015</p>		<b>Therapy</b> (Luborsky, 1984)	<b>SSRI/SNRI</b>
12.	<p><b>Barkham, M., Rees, A., Shapiro, D. A., Stiles, W. B., Agnew, R. M., &amp; Halstead, J., et al. (1996).</b> Outcomes of time-limited psychotherapy in applied settings: replicating the Second Sheffield Psychotherapy Project. <i>J Consult Clin Psychol</i>, 64, 1079-1085.</p>	<b>Depression</b>	<b>Psychodynamic-interpersonal Therapy</b> (Hobson, 1985)	<b>CBT</b> (reference?)
13.	<p><b>Barkham, M., Shapiro, D. A., Hardy, G. E., &amp; Rees, A. (1999).</b> Psychotherapy in two-plus-one sessions: outcomes of a randomized controlled trial of cognitive-behavioral and psychodynamic-interpersonal therapy for subsyndromal depression. <i>J Consult Clin Psychol</i>, 67, 201-211.</p>	<b>Subsyndromal depression</b>	<b>Psychodynamic-interpersonal Therapy</b> (Barkham & Shapiro, based on Hobson, 1985) (3 sessions)	<b>CBT</b> (reference?)
14.	<p><b>Bassett, D. L., &amp; Pilowsky, I. (1985).</b> A study of brief psychotherapy for chronic pain. <i>J Psychosom Res</i>, 29, 259-264.</p>	<b>Chronic pain</b> (adults, 22-57 yrs)	<b>12 sessions PDT</b> (non-manualized?)	<b>Supportive psychotherapy</b> (reference?)
15.	<p><b>Bastos, A. G., Pinto Guimarães, L. S., &amp; Trentini, C. M. (2013).</b> Neurocognitive changes in depressed patients in psychodynamic psychotherapy, therapy with fluoxetine and combination therapy. <i>Journal of affective disorders</i>, 1–10.</p> <p><b>Bastos, A. G., Pinto Guimarães, L. S., &amp; Trentini, C. M. (2013).</b> Neurocognitive changes in depressed patients in psychodynamic psychotherapy, therapy with fluoxetine and combination therapy. <i>Journal of Affective Disorders</i>, 1–10.</p>	<b>Depression</b>	<b>Long-term psychodynamic psychotherapy</b> (LTPP; Gabbard, 2004; 2010) /	<b>Fluoxetine LTPP + fluoxetine</b>
16.	<p><b>Bateman, A., &amp; Fonagy, P. (1999).</b> Effectiveness of partial hospitalization in the treatment of borderline personality disorder: a randomized controlled trial. <i>Am J Psychiatry</i>, 156, 1563-1569.</p>	<b>Borderline personality disorder</b>	<b>Mentalization based treatment</b> (MBT; Bateman & Fonagy, 2004)	<b>TAU</b>
17.	<p><b>Bateman, A., &amp; Fonagy, P. (1999).</b> Effectiveness of partial hospitalization in the treatment of borderline personality disorder: a randomized controlled trial. <i>The American Journal of Psychiatry</i>, 156(10), 1563–9.</p> <p><b>Bateman, A., &amp; Fonagy, P. (2008).</b> 8-Year Follow-Up of Patients Treated for Borderline Personality Disorder: Mentalization-Based Treatment Versus Treatment As Usual. <i>The American Journal of Psychiatry</i>, 165(5), 631–8.</p>	<b>Borderline personality disorder</b>	<b>Mentalization based treatment</b> (MBT; Bateman & Fonagy, 2004)	<b>Treatment as usual (TAU)</b>
18.	<p><b>Bateman, A., &amp; Fonagy, P. (2009).</b> Randomized controlled trial of outpatient mentalization-based treatment versus structured clinical management for borderline personality disorder. <i>Am J Psychiatry</i>, 166, 1355-1364.</p>	<b>Borderline personality disorder</b>	<b>Mentalization based treatment</b> (MBT; Bateman & Fonagy, 2004)	<b>Structured Clinical Management (SCM)</b>
19.	<p><b>Ben-Itzhak, S., Bluvstein, I., Schreiber, S., Aharonov-Zaig, I., Maor, M., Lipnik, R., &amp;</b></p>	<b>Adjustment disorder</b>	<b>Brief Psychodynamic Psychotherapy</b> (12	<b>Brief Psychodynamic Psychotherapy</b> (1 yrs;

	Bloch, M. (2012). The Effectiveness of Brief Versus Intermediate Duration Psychodynamic Psychotherapy in the Treatment of Adjustment Disorder. <i>Journal of Contemporary Psychotherapy</i> , 42(4), 249–256.		sessions; Malan, 1979)	Malan, 1979)
20.	<b>Beresnevaite</b> , M. (2000) Exploring the benefits of group psychotherapy in reducing alexithymia in coronary heart disease patients: a preliminary study. <i>Psychotherapy and Psychosomatics</i> , 69, 117–122.	<b>Alexithymia in Coronary Heart Disease Patients</b>	<b>Group psychotherapy</b> (1) teaching relaxation and increasing motivation to reduce alexithymia; (2) promoting nonverbal expressions of emotion, and (3) gestalt techniques and other interventions to facilitate verbal emotional expression (no reference?)	<b>Psychoeducation</b>
21.	<b>Beutel</b> , M., Thiede, R., Wiltink, J., & Sobez, I. (2001). Effectiveness of behavioral and psychodynamic in-patient treatment of severe obesity—first results from a randomized study. <i>Int J Obes</i> , 25, S96-S98.	<b>Severe obesity</b>	<b>Individual in-patient PDT.</b> Local program aimed at uncovering underlying conflicts (reference?)	<b>In-patient CBT</b> , local program
22.	<b>Beutel</b> , M. E., Scheurich, V., Knebel, A., Michal, M., Wiltink, J., Graf-Morgenstern, M., ... Subic-Wrana, C. (2013). Implementing panic-focused psychodynamic psychotherapy into clinical practice. <i>Canadian journal of psychiatry. Revue canadienne de psychiatrie</i> , 58(6), 326–34.	<b>Panic disorder</b>	<b>Panic Focused Psychodynamic Psychotherapy</b> (PFPP; Milrod)	<b>CBT</b>
23.	<b>Beutel</b> , M. E., Weissflog, G., Leuteritz, K., Wiltink, J., Haselbacher, a., Ruckes, C., ... Brahler, E. (2013). Efficacy of short-term psychodynamic psychotherapy (STPP) with depressed breast cancer patients: results of a randomized controlled multicenter trial. <i>Annals of Oncology</i> , 1–7.  <b>Weißflog</b> , G., Brähler, E., Leuteritz, K., Barthel, Y., Kuhnt, S., Wiltink, J., ... Beutel, M. E. (2015). Does psychodynamic short-term psychotherapy for depressed breast cancer patients also improve fatigue? Results from a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> . doi:10.1007/s10549-015-3494-0	<b>Depression in breast cancer patients</b>	<b>Supportive-expressive therapy</b> (Haselbacher, Barthel, Brähler et al., 2010) baserad på Luborsky (1984)	<b>TAU</b>
24.	<b>Bloch</b> , M., Meiboom, H., Lorberblatt, M., Bluvstein, I., Aharonov, I., & Schreiber, S. (2012). The effect of sertraline add-on to brief dynamic psychotherapy for the treatment of postpartum depression: a randomized, double-blind, placebo-controlled study. <i>The Journal of clinical psychiatry</i> , 73(2), 235–41.	<b>Post-partum depression</b>	<b>Brief Dynamic Psychotherapy</b> (BDT; Malan, 1979) + placebo meds	<b>Brief Dynamic Psychotherapy</b> (BDT; Malan, 1979) + sertraline
25.	<b>Bressi</b> , C., Porcellana, M., Marinaccio, P. M., Nocito, E. P., & Magri, L. (2010). Short-term psychodynamic psychotherapy versus treatment as usual for depressive and anxiety disorders: a randomized clinical trial of efficacy. <i>The Journal of Nervous and Mental Disease</i> , 198(9), 647–52.	<b>Mixed sample: depression and anxiety</b>	<b>Brief Dynamic Psychotherapy</b> (BDT; Malan, 1976; Osimo & Malan, 1992)	<b>Treatment as usual (TAU)</b>
26.	<b>Brockman</b> , B., Poynton, A., Ryle, A., & Watson, J. P. (1987). Effectiveness of time-limited therapy carried out by trainees. Comparison of two methods. <i>Br J Psychiatry</i> , 151, 602-610.	<b>Mixed sample</b>	<b>Interpretive therapy</b> (Mann & Goldman, 1982)	<b>Cognitive-analytic therapy</b> (CAT; Ryle, 1979; 1982)
27.	<b>Brodsky</b> , H., & Andrews, G. (1983). Brief psychotherapy in family practice. A controlled prospective intervention trial. <i>Br J Psychiatry</i> , 143, 11-19.	<b>Mixed sample</b>	<b>STDP</b> (Balant, Malan & Sifneos)	<b>Family practitioner</b>  <b>No therapy</b>
28.	<b>Brom</b> , D., Kleber, R. J., & Defares, P. B. (1989). Brief psychotherapy for posttraumatic stress disorders. <i>J Consult</i>	<b>Post traumatic stress disorder</b>	<b>Brief Psychodynamic Therapy</b> (Horowitz, 1976)	<b>Trauma Desensitization</b> (reference?)

	Clin Psychol, 57, 607-612.			<b>Hypnotherapy</b> (reference?)
29.	<b>Budman, S. H., Demby, A., Redondo, J. P., Hannan, M., Feldstein, M., &amp; Ring, J., et al. (1988).</b> Comparative outcome in time-limited individual and group psychotherapy. <i>Int J Group Psychother</i> , 38, 63-86.	<b>Mixed sample</b>	<b>Time-limited group psychotherapy</b> (reference?)	<b>Time-limited individual psychotherapy</b> (reference?)
30.	<b>Burnand, Y., Andreoli, A., Kolatte, E., Venturini, A., &amp; Rosset, N. (2002).</b> Psychodynamic psychotherapy and clomipramine in the treatment of major depression. <i>Psychiatr Serv</i> , 53, 585-590.	<b>Depression</b>	<b>PDT + clomipramine</b> , unclear what model, Safran & Muran mentioned among references	<b>Supportive care + clomipramine</b>
31.	<b>Burns, A., Guthrie, E., Marino-Francis, F., Busby, C., Morris, J., Russell, E., ... Byrne, J. (2005).</b> Brief psychotherapy in Alzheimer's disease. <i>British Journal Of Psychiatry</i> , 187(2), 143-147.	<b>Alzheimers disease</b>	<b>Psychodynamic-Interpersonal therapy</b> (Hobson, 1985)	<b>TAU</b>
32.	<b>Bögels, S., Wijts, P., Oort, F., &amp; Sallaerts, S. J. (2014).</b> Psychodynamic psychotherapy versus cognitive-behavior therapy for social anxiety disorder: An efficacy and partial effectiveness trial. <i>Depression and Anxiety</i> , 11, 1-11.	<b>Social anxiety disorder</b>	<b>STDP</b> (Malan, 1979). MEN nämner att de även occationally använder SET-intervention, reffar Luborsky	<b>CBT (Clark &amp; Wells, 1995)</b>
33.	<b>Chavooshi, B., Mohammadkhani, P., &amp; Dolatshahee, B. (2016).</b> A Randomized Double-Blind Controlled Trial Comparing Davanloo's Intensive Short-Term Dynamic Psychotherapy as Internet-Delivered Versus Treatment as Usual for Medically Unexplained Pain: A Six-Month Pilot Study. <i>Psychosomatics</i> .	<b>Unexplained pain</b>	<b>Internet-ISTDP</b> (Abbass, 2015)	<b>TAU</b>
34.	<b>Chavooshi, B., Mohammadkhani, P., &amp; Dolatshahee, B. (2016).</b> Efficacy of Intensive Short-Term Dynamic Psychotherapy for Medically Unexplained Pain: A Pilot Three-Armed Randomized Controlled Trial Comparison with Mindfulness-Based Stress Reduction. <i>Psychotherapy and Psychosomatics</i> , 123-125.	<b>Unexplained pain</b>	<b>ISTDP</b> (Abbass, 2015)	<b>Mindfulness-based stress reduction (MBSR)</b>  <b>TAU</b>
35.	<b>Chavooshi, B., Mohammadkhani, P., &amp; Dolatshahee, B. (2016).</b> Telemedicine vs. in-person delivery of intensive short-term dynamic psychotherapy for patients with medically unexplained pain: A 12-month randomized, controlled trial. <i>Journal of Telemedicine and Telecare</i> , 0(0), 1-9.	<b>Unexplained pain</b>	<b>ISTDP</b> (Abbass, 2015)	<b>Internet-delivered ISTDP (ID-ISTDP)</b>
36.	<b>Clarici, A., Pellizzoni, S., Guaschino, S., Alberico, S., Bembich, S., Giuliani, R., ... Panksepp, J. (2015).</b> Intranasal administration of oxytocin in postnatal depression: implications for psychodynamic psychotherapy from a randomized double-blind pilot study. <i>Frontiers in Psychology</i> , 06, 1-10. doi:10.3389/fpsyg.2015.00426	<b>Postpartum depression</b>	<b>Psychodynamic approach</b> (non-manualized?) + <b>oxytocine</b>	<b>Psychodynamic approach</b> (non-manualized?) + <b>placebo</b>
37.	<b>Clarkin, J. F., Levy, K. N., Lenzenweger, M. F., &amp; Kernberg, O. F. (2007).</b> Evaluating three treatments for borderline personality disorder: a multiwave study. <i>Am J Psychiatry</i> , 164, 922-928.	<b>Borderline Personality Disorder</b>	<b>Transference-Focused Psychotherapy</b> (TFP; Kernberg)	<b>DBT</b> (Linehan, 1991)  <b>Supportive treatment</b> (Rockland, 1992)
38.	<b>Cooper, P. J., Murray, L., Wilson, A., &amp; Romaniuk, H. (2003).</b> Controlled trial of the short- and long-term effect of psychological treatment of post-partum depression. I. Impact on maternal mood. <i>Br J Psychiatry</i> , 182, 412-419.  <b>Murray, L., Cooper, P. J., Wilson, A., &amp; Romaniuk, H. (2003).</b> Controlled trial of the short- and long-term effect of psychological treatment of post- partum depression: 2.	<b>Postpartum depression</b>	<b>Psychodynamic therapy</b> (Cramer et al, 1990; Stern, 1995)	<b>TAU</b>  <b>Non-directive counseling</b> (reference?)  <b>Cognitive-Behavioural Therapy</b> (reference?)

	Impact on the mother-child relationship and child outcome. <i>British Journal of Psychiatry</i> , 182, 420–7.			
39.	<b>Covi, L., Lipman, R. S., Derogatis, L. R., Smith, J. E., &amp; Pattison, J. H. (1974).</b> Drugs and group psychotherapy in neurotic depression. <i>Am J Psychiatry</i> , 131, 191-198.	(Chronic?) <b>depression</b>	Studien saknas...	
40.	<b>Covi, L., &amp; Lipman, R. S. (1987).</b> Cognitive behavioral group psychotherapy combined with imipramine in major depression. <i>Psychopharmacol Bull</i> , 23, 173-176.	<b>Depression</b>	Studien saknas...	
41.	<b>Creed, F., Fernandes, L., Guthrie, E., Palmer, S., Ratcliffe, J., &amp; Read, N., et al. (2003).</b> The cost-effectiveness of psychotherapy and paroxetine for severe irritable bowel syndrome. <i>Gastroenterology</i> , 124, 303-317.	<b>Irritable bowel syndrome</b>	<b>Psychodynamic Interpersonal Therapy</b> (Kolla Guthrie för ref?)	<b>SSRI / TAU</b>
42.	<b>Crits-Christoph, P., Siqueland, L., Blaine, J., Frank, A., Luborsky, L., &amp; Onken, L. S., et al. (1999).</b> Psychosocial treatments for cocaine dependence: National Institute on Drug Abuse Collaborative Cocaine Treatment Study. <i>Arch Gen Psychiatry</i> , 56, 493-502.	<b>Cocaine Dependence</b>	<b>Supportive Expressive Therapy</b> (Luborsky (1984) + group drug counseling	<b>Cognitive therapy + group drug counseling</b>  <b>Group drug counseling</b>
43.	<b>Crits-Christoph, P., Gibbons, M. B. C., Narducci, J., Schamberger, M., &amp; Gallop, R. (2005).</b> Interpersonal Problems and the Outcome of Interpersonally Oriented Psychodynamic Treatment of GAD. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 42(2), 211–224.	<b>GAD</b>	<b>Supportive Expressive Therapy</b> (Luborsky (1984)	<b>Supportive therapy</b>
44.	<b>Cummings, J. G., &amp; Wittenberg, J. V. (2008).</b> Supportive expressive therapy - Parent child version: an exploratory study. <i>Psychotherapy Theory, Research, Practice, Training</i> , 45, 148-164.	<b>Children with oppositional defiant disorder/disruptive behavior disorder</b>	<b>Supportive Expressive Therapy – Parent Child (SET-PC)</b> Wittenberg, adapted from Luborsky	<b>The Incredible Years Parenting Program</b>
45.	<b>Dare, C., Eisler, I., Russell, G., Treasure, J., &amp; Dodge, L. (2001).</b> Psychological therapies for adults with anorexia nervosa: randomised controlled trial of out-patient treatments. <i>Br J Psychiatry</i> , 178, 216-221.	<b>Anorexia</b>	<b>Focal psychoanalytic psychotherapy</b> (Dare, 1995; Malan, 1979)	<b>Cognitive Analytic Therapy</b> (Ryle?)  <b>Family therapy</b> (reference?)
46.	<b>de Jonghe, F., Kool, S., van Aalst, G., Dekker, J., &amp; Peen, J. (2001).</b> Combining psychotherapy and antidepressants in the treatment of depression. <i>Journal of Affective Disorders</i> , 64(2-3), 217–29.	<b>Depression</b>	<b>Short Psychodynamic Supportive Psychotherapy</b> (de Jonghe, 2005)  <b>+ medication</b>	<b>Medication alone</b>
47.	<b>de Jonghe, F., Hendriksen, M., van Aalst, G., Kool, S., Peen, J., &amp; Van, R., et al. (2004).</b> Psychotherapy alone and combined with pharmacotherapy in the treatment of depression. <i>British Journal of Psychiatry</i> , 185, 37-45.	<b>Depression</b>	<b>Short Psychodynamic Supportive Psychotherapy</b> (de Jonghe, 2005)	<b>Short Psychodynamic Supportive Psychotherapy + antidepressants</b>
48.	<b>Doering, S., Hörz, S., Rentrop, M., Fischer-Kern, M., Schuster, P., &amp; Benecke, C., et al. (2010).</b> Transference-focused psychotherapy v. treatment by community psychotherapists for borderline personality disorder: randomised controlled trial. <i>Br J Psychiatry</i> , 196, 389-395.	<b>Borderline personality disorder</b>	<b>Transference-focused psychotherapy</b> (TFP; Kernberg)	<b>TAU</b> (experienced therapists)
49.	<b>Driessen, E., Van, L. H., Don, F. J., Peen, J., Kool, S., Westra, D., ... Dekker, J. J. M. (2013).</b> The Efficacy of Cognitive-Behavioral Therapy and Psychodynamic Therapy in the Outpatient Treatment of Major Depression: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , (September), 1041–1050. <b>Driessen, E., Van, H. L., Peen, J., Don, F. J., Kool, S., Westra, D., ... Dekker, J. J. (2014).</b> Therapist-rated outcomes in a randomized clinical trial comparing cognitive behavioral therapy and psychodynamic therapy for major depression. <i>Journal of Affective</i>	<b>Depression</b>	<b>Short-term psychodynamic supportive psychotherapy</b> (de Jonghe, 2005)	<b>Cognitive-Behavior Therapy</b> (CBT; Molenaar et al., 2009)

	<i>Disorders, 170C</i> , 112–118. doi:10.1016/j.jad.2014.08.023			
50.	<b>Durham</b> , R. C., Murphy, T., Allan, T., Richard, K., Treliving, L. R., & Fenton, G. W., et al. (1994). Cognitive therapy, analytic psychotherapy and anxiety management training for generalised anxiety disorder. <i>Br J Psychiatry</i> , 165, 315-323.	<b>Generalized Anxiety Disorder</b>	<b>Analytic-based psychotherapy</b> (non-manualized)	<b>Cognitive Therapy / Anxiety Management training</b> (reference?)
51.	<b>Emmelkamp</b> , P. M. G., Benner, A., Kuipers, A., Feiertag, G. A., Koster, H. C., & Van Apeldoorn, F. J., et al. (2006). Comparison of brief dynamic and cognitive-behavioural therapies in avoidant personality disorder. <i>Br J Psychiatry</i> , 189, 60-64.	<b>Avoidant personality disorder</b>	<b>Brief Dynamic Therapy</b> (BDT; Malan, 1979). MEN reffar också Luborsky, 1984)	CBT (reference?)
52.	<b>Fairburn</b> , G., Kirk, J., Connor, M. O., & Cooper, P. J. (1986). A COMPARISON TREATMENTS OF TWO PSYCHOLOGICAL FOR BULIMIA. <i>Behaviour research and therapy</i> , 24(6), 629–643.	<b>Bulimia Nervosa</b>	<b>Short-term Focal Psychotherapy</b> (Rosen, 1979)	CBT (reference?)
53.	<b>Faramarzi</b> , M., Azadfallah, P., Book, H. E., Tabatabaei, K. R., Taheri, H., & Shokri-Shirvani, J. (2013). A randomized controlled trial of brief psychoanalytic psychotherapy in patients with functional dyspepsia. <i>Asian journal of psychiatry</i> , 6(3), 228–34. doi:10.1016/j.ajp.2012.12.012 <b>Faramarzi</b> , M., & Book, H. E. (2015). The Effect of Psychotherapy in Improving Physical and Psychiatric Symptoms in Patients with Functional Dyspepsia, (2002), 43–49.	<b>Functional dyspepsia</b>	<b>Brief psychodynamic therapy</b> (Book, 1998) based on Luborsky (1984) + standard medical therapy	TAU (medical therapy)
54.	<b>Fonagy</b> , P., Sled, M., & Baradon, T. (2016). Randomized Controlled Trial of Parent-Infant Psychotherapy for Parents With Mental Health Problems and Young Infants. <i>Infant Mental Health Journal</i> , (March), n/a–n/a.	<b>Parents with mental health problems</b>	<b>Parent-infant psychotherapy (PIP)</b>	<b>Standard care</b>
55.	<b>Fonagy</b> , P., Rost, F., Carlyle, J.-A., Mcpherson, S., Thomas, R., Fearon, R. M. P., ... Taylor, D. (2015). Pragmatic randomized controlled trial of long-term psychoanalytic psychotherapy for treatment-resistant depression : the Tavistock Adult Depression Study ( TADS ). <i>World Psychiatry</i> , (October).	<b>Treatment resistant depression</b>	<b>Long-Term Psychoanalytic PPsychotehrapy</b> (LTPP; Taylor, 2015)	TAU
56.	<b>Gallagher</b> , D. E., & Thompson, L. W. (1982). Treatment of major depressive disorder in older adult outpatients with brief psychotherapies. <i>Psychotherapy: Theory, Research, and Practice</i> , 482-490.	<b>Major depressive disorder</b>	<b>Brief relational/insight psychotherapy</b> (Bellak & Small, 1965)	<b>Behavioral therapy / Cognitive therapy</b> (reference?)
57.	<b>Gallagher-Thompson</b> , D., & Steffen, A. M. (1994). Comparative effects of cognitive-behavioral and brief psychodynamic psychotherapies for depressed family caregivers. <i>J Consult Clin Psychol</i> , 62, 543-549.	<b>Depressed family caregivers of elderly relatives</b>	<b>Brief Psychodynamic Therapy</b> (Mann, 1973)	CBT (reference?)
58.	<b>Garner</b> , D. M., Rockert, W., Davis, R., Garner, M. V., Olmsted, M. P., & Eagle, M., et al. (1993). Comparison of cognitive-behavioral and supportive-expressive therapy for bulimia nervosa. <i>Am J Psychiatry</i> , 150, 37-46.	<b>Bulimia nervosa</b>	<b>Supportive-expressive psychotherapy</b> (Luborsky, 1984)	KBT (Fairburn)
59.	<b>Gersons</b> , B. P., Carlier, I. V., Lamberts, R. D., & van der Kolk, B. A. (2000). Randomized clinical trial of brief eclectic psychotherapy for police officers with posttraumatic stress disorder. <i>J Trauma Stress</i> , 13, 333-347.	<b>PTSD</b>	<b>Brief eclectic psychotherapy (PDT + KBT)</b> (Gersons & Carlier, 1994)	Waitlist
60.	<b>Gelder</b> , M. G., Marks, I. M., & Wolff, H. H. (1967). Desensitization and psychotherapy in the treatment of phobic states: a controlled inquiry. <i>British Journal of Psychiatry</i> , 113(494), 53–81.	<b>Phobic states</b>	<b>Psychotherapy</b> (no reference)	<b>Desensitization</b> (Wolpe)  <b>Group psychotherapy</b> (Foulkes)

	doi:10.1192/bjp.113.494.53			
61.	<b>Ghorbani, N., Dadsetan, P., Ejei, J., &amp; Motiyan, H. (2000).</b> The consequences of overcoming resistance and emotional disclosure on lymphocyte T-helper and T-suppressor and psychological pathology. <i>Journal of Psychology (Persian)</i> , 3, 368–89.	<b>Students</b>	<b>ISTDP (Davanloo, 1990)</b>	<b>Simple verbal disclosure groups (SVD)</b>
62.	<b>Gibbons, M. B. C., Thompson, S. M., Scott, K., Schauble, L. a, Mooney, T., Thompson, D., ... Crits-Christoph, P. (2012).</b> Supportive-expressive dynamic psychotherapy in the community mental health system: A pilot effectiveness trial for the treatment of depression. <i>Psychotherapy (Chicago, Ill.)</i> , 49(3), 303–16.	<b>Depression</b>	<b>Supportive-expressive therapy (manual adapted from Luborsky, 1984)</b>	<b>TAU</b>
63.	<b>Giesen-Bloo, J., van Dyck, R., Spinhoven, P., van Tilburg, W., Dirksen, C., &amp; van Asselt, T., et al. (2006).</b> Outpatient psychotherapy for borderline personality disorder: randomized trial of schema-focused therapy vs transference-focused psychotherapy. <i>Arch Gen Psychiatry</i> , 63, 649-658.	<b>Borderline personality disorder</b>	<b>Transference focused psychotherapy (TFP; Kernberg)</b>	<b>Schema-focused therapy</b>
64.	<b>Gowers, S., Norton, K., Halek, C., &amp; Crisp, A. H. (1994).</b> Outcome of outpatient psychotherapy in a random allocation treatment study of anorexia nervosa. <i>Int J Eat Disord</i> , 15, 165-177.	<b>Anorexia nervosa, adolescents and young women</b>	<b>Short term individual + family interviews (Koss &amp; Butcher, 1986)</b>	<b>Assessment only</b>
65.	<b>Gregory, R. J., Chlebowski, S., Kang, D., Remen, A. L., Soderberg, M. G., &amp; Stepkovitch, J., et al. (2008).</b> A controlled trial of psychodynamic psychotherapy for co-occurring borderline personality disorder and alcohol use disorder. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 45, 28-41.	<b>Borderline personality disorder + alcohol use disorder</b>	<b>Dynamic deconstructive therapy (Gregory &amp; Remen)</b>	<b>TAU</b>
66.	<b>Gunderson, J. G., Frank, A. F., Katz, H. M., Vannicelli, M. L., Frosch, J. P., &amp; Knapp, P. H., et al. (1984).</b> Effects of psychotherapy in schizophrenia: II. Comparative outcome of two forms of treatment. <i>Schizophr Bull</i> , 10, 564-598.	<b>Schizophrenia</b>	<b>Exploratory, insight oriented psychotherapy (Adapted from Fromm-Reichmann)</b>	<b>Reality-adaptive, supportive psychotherapy</b>
67.	<b>Guthrie, E., Creed, F., Dawson, D., &amp; Tomenson, B. (1991).</b> A controlled trial of psychological treatment for the irritable bowel syndrome. <i>Gastroenterology</i> , 100, 450-457. <b>Guthrie, E., Creed, F., Dawson, D., &amp; Tomenson, B. (1993).</b> A randomised controlled trial of psychotherapy in patients with refractory Irritable Bowel Syndrome. <i>British Journal of Psychiatry</i> , 163, 315–21.	<b>Irritable Bowel Syndrome</b>	<b>Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)</b>	<b>Supportive listening</b>
68.	<b>Guthrie, E., Kapur, N., Mackway-Jones, K., Chew-Graham, C., Moorey, J., &amp; Mendel, E., et al. (2001).</b> Randomised controlled trial of brief psychological intervention after deliberate self poisoning. <i>BMJ</i> , 323, 135-138.	<b>Deliberate self poisoning</b>	<b>Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)</b>	<b>TAU</b>
69.	<b>Guthrie, E., Moorey, J., Margison, F., Barker, H., Palmer, S., &amp; McGrath, G., et al. (1999).</b> Cost-effectiveness of brief psychodynamic-interpersonal therapy in high utilizers of psychiatric services. <i>Arch Gen Psychiatry</i> , 56, 519-526.	<b>Mixed sample</b>	<b>Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)</b>	<b>TAU</b>
70.	<b>Hall, A., &amp; Crisp, A. H. (1987).</b> Brief psychotherapy in the treatment of anorexia nervosa: Outcome at one year. <i>British Journal of Psychiatry</i> , 151, 185-191.	<b>Anorexia nervosa</b>	<b>Combined individual and family psychotherapy (no reference)</b>	<b>Dietary advice</b>
71.	<b>Hamilton, J., Guthrie, E., Creed, F., Thompson, D., Tomenson, B., &amp; Bennett, R., et al. (2000).</b> A randomized controlled trial of psychotherapy in patients with chronic	<b>Chronic Functional Dyspepsia</b>	<b>Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)</b>	<b>Supportive therapy (Guthrie, unpub.)</b>

	functional dyspepsia. <i>Gastroenterology</i> , 119, 661-669.			
72.	<b>Hardy</b> , G. E., Barkham, M., Shapiro, D. a, Stiles, W. B., Rees, a, & Reynolds, S. (1995). Impact of Cluster C personality disorders on outcomes of contrasting brief psychotherapies for depression. <i>Journal of consulting and clinical psychology</i> , 63(6), 997-1004.	<b>Depression + cluster C</b>	<b>Psychodynamic-Interpersonal Therapy (PIT; Hobson, 1985)</b>	<b>CBT (Firth &amp; Shapiro, 1985)</b>
73.	<b>Hellerstein</b> , D. J., Rosenthal, R. N., Pinsker, H., Samstag, L. W., Muran, J. C., & Winston, A., et al. (1998). A randomized prospective study comparing supportive and dynamic therapies. Outcome and alliance. <i>J Psychother Pract Res</i> , 7, 261-271.	<b>Personality disorders in cluster C</b>	<b>ISTDP (Davanloo, 1980)</b>	<b>Brief Adaptive Therapy (Winston?)</b>
74.	<b>Hersen</b> , M., Himmelhoch, J. M., Thase, M. E., & Bellack, A. S. (1984). Effects of social skill training, amitriptyline, and psychotherapy in unipolar depressed women. <i>Behavior Therapy</i> , 15(1), 21-40.	<b>Depression</b>	<b>Time-limited dynamic therapy (no reference) + placebo</b>	<b>Social skill training + placebo</b>  <b>Amitriptyline</b>
75.	<b>Hoffart</b> , A., & Martinsen, E. W. (1990). EXPOSURE-BASED INTEGRATED VS . PURE PSYCHODYNAMIC TREATMENT OF AGORAPHOBIC INPATIENTS. <i>Psychotherapy ...</i> , 27(2), 210-218.	<b>Agoraphobia</b>	<b>Integrative behavioural- psychodynamic treatment</b>	<b>Psychodynamic oriented group therapy (</b>
76.	<b>Huber</b> , D., Henrich, G., Gastner, J., & Klug, G. (2012). Must All Have Prizes? The Munich Psychotherapy Study. In <i>Psychodynamic Psychotherapy Research</i> . <b>Huber</b> , D., Huber, D., Zimmermann, J., Henrich, G., & Klug, G. (2012). Comparison of cognitive-behaviour therapy with psychoanalytic and psychodynamic therapy for depressed patients – A three-year follow-up study. <i>Zeitschrift für Psychosomatic</i> , (58), 299-316. <b>Huber</b> , D., Henrich, G., Clarkin, J., & Klug, G. (2013). Psychoanalytic versus psychodynamic therapy for depression: a three-year follow-up study. <i>Psychiatry</i> , 76(2), 132-49.	<b>Depression</b>	<b>Psychoanalysis LTTP</b> All non-manualized	<b>CBT</b>
77.	<b>Höglend</b> , P., Amlo, S., Marble, A., Bøgwald, K. P., Sørbye, O., & Sjaastad, M. C., et al. (2006). Analysis of the patient-therapist relationship in dynamic psychotherapy: an experimental study of transference interpretations. <i>Am J Psychiatry</i> , 163, 1739-1746.	<b>Mixed sample</b>	<b>Psychodynamic psychotherapy (Höglend, 1995)</b>	<b>Psychodynamic psychotherapy (Höglend, 1995) without transference interpretation</b>
78.	<b>Johansson</b> , R., Ekbladh, S., Hebert, A., Lindström, M., Möller, S., Petitt, E., ... Andersson, G. (2012). Psychodynamic Guided Self-Help for Adult Depression through the Internet: A Randomised Controlled Trial. (A. Bruce, Ed.) <i>PLoS ONE</i> , 7(5),	<b>Depression</b>	<b>IPDT (SUBGAP, Silverberg, 2005)</b>	<b>Psychoeducation + support</b>
79.	<b>Johansson</b> , R., Björklund, M., Hornborg, C., Karlsson, S., Hesser, H., Ljótsson, B., ... Andersson, G. (2013). Affect-focused psychodynamic psychotherapy for depression and anxiety through the Internet: a randomized controlled trial. <i>PeerJ</i> , 1, e102. doi:10.7717/peerj.102	<b>Depression and/or anxiety</b>	<b>IPDT (Affect-focused, Frederick, 2009)</b>	<b>Online therapist support and clinical monitoring</b>
80.	<b>Jørgensen</b> , C. R., Freund, C., Bøye, R., Jordet, H., Andersen, D., & Kjølbye, M. (2012). Outcome of mentalization-based and supportive psychotherapy in patients with borderline personality disorder: a randomized trial. <i>Acta psychiatrica Scandinavica</i> , 1-13.	<b>Borderline Personality disorder</b>	<b>Mentalization-Based Therapy (MBT; Bateman &amp; Fonagy, 2001)</b>	<b>Supportive group therapy</b>
81.	<b>Keller</b> , W., Pritsch, M., Von Wietersheim, J., Scheib, P., Osborn, W., & Balck, F., et al.	<b>Crohn's Disease</b>	<b>PDT+relaxation+drug treatment, no manual was</b>	<b>Drug treatment</b>



	(2004). Effect of psychotherapy and relaxation on the psychosocial and somatic course of Crohn's disease: main results of the German Prospective Multicenter Psychotherapy Treatment study on Crohn's Disease. <i>J Psychosom Res</i> , 56, 687-696.		used but reference to: Luborsky L. (1984) Principles of psychoanalytic psychotherapy. New York: Basic books.	
82.	<b>Klein</b> , D. F., Zitrin, C. M., Woerner, M. G., & Ross, D. C. (1983). Treatment of Phobias. <i>Archives of General Psychiatry</i> , 139-145.	<b>Phobias</b>	<b>Supportive therapy</b> (dynamically oriented; no reference)	<b>Behavior therapy</b> (no reference)
83.	<b>Kleinman</b> , P. H., Woody, G. E., Todd, T. C., Millman, R. B., Kang, S. Y., & Kemp, J., et al. (1990). Crack and cocaine abusers in outpatient psychotherapy. <i>NIDA Res Monogr</i> , 104, 24-35.	<b>Crack and cocaine abuse</b> (dependency?)	<b>Supportive-Expressive Therapy</b> (Luborsky, 1984)	<b>Family therapy + para professionally led group therapy</b>
84.	<b>Knekt</b> , P., & Lindfors, O. (2004). A randomized trial of the effect of four forms of psychotherapy on depressive and anxiety disorders. Helsinki: Kela. <b>Knekt</b> , P., Lindfors, O., Ske, L. S. Ä., & Virtala, E. S. A. (2013). Randomized trial on the effectiveness of long- and short-term psychotherapy on psychiatric symptoms and working ability during a 5-year follow-up. <i>Nordic journal of psychiatry</i> , (9). <b>Lindfors</b> , O., Knekt, P., Heinonen, E., Härkänen, T., Virtala, E., & The Helsinki Psychotherapy Study Group. (2015). The effectiveness of short- and long-term psychotherapy on personality functioning during a 5-year follow-up. <i>Journal of Affective Disorders</i> , 173, 31-8. doi:10.1016/j.jad.2014.10.039 <b>Lindfors</b> , O., Knekt, P., Heinonen, E., Härkänen, T., Virtala, E., & The Helsinki Psychotherapy Study Group. (2015). The effectiveness of short- and long-term psychotherapy on personality functioning during a 5-year follow-up. <i>Journal of Affective Disorders</i> , 173, 31-8. doi:10.1016/j.jad.2014.10.039	<b>Depression/Anxiety</b>	<b>STPP</b> (Malan, 1976; Sifneos, 1978)	<b>Solution-focused therapy</b> (reference?)  <b>LTPP</b> (Gabbard, 2004)
85.	<b>Knijnik</b> , D. Z., Kapczinski, F., Chachamovich, E., Margis, R., & Eizirik, C. L. (2004). Psychodynamic group treatment for generalized social phobia. <i>Revista Brasileira de Psiquiatria (São Paulo, Brazil : 1999)</i> , 26(2), 77-81. doi:/S1516-44462004000200003	<b>Social anxiety disorder</b>	<b>Psychodynamic group therapy</b> (Malan, 1976)	<b>Credible placebo group</b>
86.	<b>Knijnik</b> , D. Z., Salum, G. A., Blanco, C., Moraes, C., Hauck, S., & Mombach, C. K., et al. (2009). Defense style changes with the addition of psychodynamic group therapy to clonazepam in social anxiety disorder. <i>J Nerv Ment Dis</i> , 197, 547-551.	<b>Social anxiety disorder</b>	<b>Psychodynamic group therapy</b> (Malan, 1976) <b>plus clonazepam</b>	<b>Clonazepam</b>
87.	<b>Kompoliti</b> , K., Wilson, B., Stebbins, G., Bernard, B., & Hinson, V. (2013). Immediate vs. delayed treatment of psychogenic movement disorders with short-term psychodynamic psychotherapy: Randomized clinical trial. <i>Parkinsonism &amp; related disorders</i> , 7-10.	<b>Psychogenic movement disorders</b>	<b>ISTDP</b> (Davanloo, 1980)	<b>Neurological observation and support</b>
88.	<b>Kool</b> , S., Dekker, J., & Duijsens, I. (2003). Efficacy of combined therapy and pharmacotherapy for depressed patients with or without personality disorders. <i>Harvard review of psychiatry</i> , 133-142.	<b>Depression</b>	<b>STDP</b> (de Jonghe, 2005) and pharmacotherapy	pharmacotherapy
89.	<b>Kornblith</b> , S., Rehm, L., W, O. M., & Lamparski, D. M. (1983). The contribution of self-reinforcement training and behavior assignments to the efficacy of self-control	<b>Depression</b>	<b>Psychodynamic group therapy</b> (Bernard & Klein, 1977)	(1) self-monitoring, self-evaluation, and self-reinforcement training (principles and

	therapy for depression. <i>Cogn Ther Res</i> , 7, 499-528.			assignments); (2) self-monitoring and self-evaluation training (principles and assignments); (3) didactic training of principles as in condition 1 without behavioral assignments
90.	<b>Kramer, U., de Roten, Y., Perry, J. C., &amp; Despland, J.-N.</b> (2013). Change in defense mechanisms and coping patterns during the course of 2-year-long psychotherapy and psychoanalysis for recurrent depression: a pilot study of a randomized controlled trial. <i>The Journal of nervous and mental disease</i> , 201(7), 614–20. doi:10.1097/NMD.0b013e3182982982	<b>Recidiverande depression</b>	<b>Supportive-Expressive Therapy</b> (Luborsky, 1984)	<b>Cognitive therapy</b> (Beck, 1995)  <b>Psychoanalysis</b> (Robertson, 2002).  <b>Clinical management</b> (Csank, 2002; Novalis et al., 1993).  All patients were given pharmacological treatment
91.	<b>Lanza, M. L., Anderson, J., Boisvert, C. M., LeBlanc, A., Fardy, M., &amp; Steel, B., et al.</b> (2002). Assaultive behavior intervention in the Veterans Administration: psychodynamic group psychotherapy compared to cognitive behavior therapy. <i>Perspect Psychiatr Care</i> , 38, 89-97.	<b>Male veterans with history of assault</b>	<b>Psychodynamic group psychotherapy</b> (no specific reference)	<b>Cognitive behavior group therapy</b> (No specific reference)
92.	<b>LaPonite, K., &amp; Rimm, D. C.</b> (1980). Cognitive, assertive, and insight-oriented group therapies in the treatment of reactive depression in women. <i>Psychotherapy: Theory, Research &amp; Practice</i> , 17(3), 312–321.	<b>Depression</b>	<b>Insight-oriented group therapy</b> (No reference)	<b>Cognitive group therapy</b> (Beck, 19767)  <b>Assertiveness training</b> (no reference)
93.	<b>Lau, M., &amp; Kristensen, E.</b> (2007). Outcome of systemic and analytic group psychotherapy for adult women with history of intrafamilial childhood sexual abuse: a randomized controlled study. <i>Acta Psychiatr Scand</i> , 116, 96-104.	<b>Women with childhood sexual abuse</b>	<b>Analytic group therapy</b> (Foulkes, 1986)	<b>Systemic group therapy</b> (Holme, 1999)
94.	<b>Lerner, A., Sigal, M., Bacalu, A., &amp; Gelkopf, M.</b> (1992). Short term versus long term psychotherapy in opioid dependence: A pilot study. <i>Israeli Journal of Psychiatry and Related Sciences</i> , 29(2), 114–9.	<b>Opioid dependence</b>	Could no find article	
95.	<b>Lawson, D. M.</b> (2010). Comparing cognitive behavioral therapy and integrated cognitive behavioral therapy/psychodynamic therapy in group treatment for partner violent men. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 47(1), 122–133. doi:10.1037/a0018841	<b>Violent men</b>	<b>Integrative CBT- psychodynamic group therapy</b> (Strupp & Binder, 1984)	<b>CBT</b> (Lawson, 2001)
96.	<b>Leichsenring, F., Salzer, S., Jaeger, U., Kächele, H., Kreische, R., &amp; Leweke, F., et al.</b> (2009). Short-Term Psychodynamic Psychotherapy and Cognitive-Behavioral Therapy in Generalized Anxiety Disorder: A Randomized, Controlled Trial. <i>Am J Psychiatry</i> , 166, 875-881. <b>Salzer, S., Winkelbach, C., Leweke, F., Leibing, E., &amp; Leichsenring, F.</b> (2011). Generalized Anxiety Disorder: 12-Month Follow-Up. <i>Canadian Journal of Psychiatry</i> , 56(8).	<b>Generalized anxiety disorder (GAD)</b>	<b>Supportive-Expressive Therapy</b> (Luborsky, 1984)	<b>CBT</b> (Borcovec & Rucio, 2001, Brown, 1993)
97.	<b>Leichsenring, F., Salzer, S., Beutel, M. E., Herpertz, S., Hiller, W., Hoyer, J., ... Leibing, E.</b> (2013). Psychodynamic Therapy and Cognitive-Behavioral Therapy in Social Anxiety Disorder: A Multicenter Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , (14), 1–9.	<b>Social Anxiety Disorder (SAD)</b>	<b>Supportive-Expressive Therapy</b> (Luborsky, 1984)	<b>CBT</b> (Clark & Wells, 1995)

	<b>Leichsenring, F., Salzer, S., Beutel, M. E., Herpertz, S., Hiller, W., Hoyer, J., ... Leibing, E. (2014).</b> Long-Term Outcome of Psychodynamic Therapy and Cognitive-Behavioral Therapy in Social Anxiety Disorder. <i>American Journal of Psychiatry</i> , (6), 1–9.			
98.	<b>Leichsenring, F., Masuhr, O., Jaeger, U., Rabung, S., Dally, A., Dimpelmann, M., ... Streeck, U. (2016).</b> Psychoanalytic-Interactional Therapy versus Psychodynamic Therapy by Experts for Personality Disorders: A Randomized Controlled Efficacy-Effectiveness Study in Cluster B Personality Disorders. <i>Psychotherapy and Psychosomatics</i> , 71–80.	<b>Cluster B personality disorders</b>	<b>Psychoanalytic-Interactional Therapy (Streeck, 2016)</b>	<b>Psychodynamic therapy by experts</b>
99.	<b>Lemma, A., &amp; Fonagy, P. (2013).</b> Feasibility study of a psychodynamic online group intervention for depression. <i>Psychoanalytic Psychology</i> , 30(3), 367–380. doi:10.1037/a0033239	<b>Depression</b>	<b>Online Group Dynamic Interpersonal Therapy (OLDIT; Fonagy &amp; Target, 2008)</b>	<b>Internet discussion group</b>
100.	<b>Levy Berg, A., Sandell, R., &amp; Sandahl, C. (2009).</b> Affect-focused body psychotherapy in patients with generalized anxiety disorder: Evaluation of an integrative method. <i>Journal of Psychotherapy Integration</i> , 19(1), 67–85. doi:10.1037/a0015324	<b>GAD</b>	<b>Affect-Focused Body Psychotherapy (Monsen &amp; Monsen, 2000)</b>	<b>TAU</b>
101.	<b>Lieberman, R. P., &amp; Eckman, T. (1981).</b> Behavior therapy vs insight-oriented therapy for repeated suicide attempters. <i>Archives of General Psychiatry</i> , 38(10), 1126–1130. doi:10.1001/archpsyc.1981.01780350060007	<b>Repeated suicide attempts</b>	<b>Insight-Oriented Psychotherapy</b>	<b>Behavior Therapy</b>
102.	<b>Linnert, J., &amp; Jemec, G. B. (2001).</b> Anxiety level and severity of skin condition predicts outcome of psychotherapy in atopic dermatitis patients. <i>Int J Dermatol</i> , 40, 632-636.	<b>Atopic dermatitis (anxiety)</b>	<b>Brief Dynamic Psychotherapy (Malan, 1992)</b>	<b>Control (TAU?)</b>
103.	<b>Lipsitz, J. D., Gur, M., Vermes, D., Petkova, E., Cheng, J., Miller, N., ... Fyer, A. J. (2008).</b> A randomized trial of interpersonal therapy versus supportive therapy for social anxiety disorder. <i>Depression and Anxiety</i> , 25(6), 542–553.	<b>Social anxiety</b>	<b>Psychodynamic Supportive Therapy</b>	<b>Interpersonal Therapy</b>
104.	<b>Lock, J., Grange, D. Le, &amp; Agras, W. (2010).</b> Randomized clinical trial comparing family-based treatment with adolescent-focused individual therapy for adolescents with anorexia nervosa. <i>Archives of General ...</i> , 67(10), 1025–1032. doi:10.1001/archgenpsychiatry.2010.128.	<b>Anorexia</b>	<b>Adolescent Focused Therapy (AFT, Robin et al.,</b>	<b>Treatments Family-Based Treatment (FBT; Locke et al., 2001)</b>
105.	<b>Lorentzen, S., Ruud, T., Fjeldstad, A., &amp; Høglend, P. (2013).</b> Comparison of short- and long-term dynamic group psychotherapy: randomised clinical trial. <i>The British journal of psychiatry : the journal of mental science</i> .  <b>Lorentzen, S., Ruud, T., Fjeldstad, A., &amp; Høglend, P. a. (2014).</b> Personality disorder moderates outcome in short- and long-term group analytic psychotherapy: A randomized clinical trial. <i>The British Journal of Clinical Psychology / the British Psychological Society</i> , 1–18. doi:10.1111/bjc.12065	<b>Anxiety and personality disorders</b>	<b>Long-Term Psychodynamic Group Therapy (Lorentzen, 2013)</b>	<b>Short-Term Psychodynamic Group Therapy (Lorentzen, 2013)</b>
106.	<b>Ludwig, G., Krenz, S., Zdrojewski, C., Bot, M., Rousselle, I., Stagno, D., ... Stiefel, F. (2013).</b> Psychodynamic interventions in cancer care I: psychometric results of a randomized	<b>Psychiatric symptoms in cancer patients</b>	<b>Brief Dynamic Psychotherapy (Mann, Davanloo)</b>	<b>Waitlist</b>

	controlled trial. <i>Psycho-oncology</i> , (July 2009).			
107.	<b>Maina, G., Forner, F., &amp; Bogetto, F. (2005).</b> Randomized controlled trial comparing brief dynamic and supportive therapy with waiting list condition in minor depressive disorders. <i>Psychother Psychosom</i> , 74, 43-50.	<b>Mild to moderate depression</b>	<b>Brief Dynamic Psychotherapy (BDP;</b> Malan, 1979)	<b>Brief Supportive Psychotherapy (BSP;</b> Novalis et al., 1993))  <b>Waitlist</b>
108.	<b>Maina, G., Rosso, G., Crespi, C., &amp; Bogetto, F. (2007).</b> Combined brief dynamic therapy and pharmacotherapy in the treatment of major depressive disorder: a pilot study. <i>Psychotherapy and Psychosomatics</i> , 76(5), 298–305. doi:10.1159/000104706  <b>Maina, G., Rosso, G., &amp; Bogetto, F. (2009).</b> Brief dynamic therapy combined with pharmacotherapy in the treatment of major depressive disorder: long-term results. <i>Journal of Affective Disorders</i> , 114(1-3), 200–7. doi:10.1016/j.jad.2008.07.010	<b>Depression</b>	<b>Brief Dynamic Psychotherapy (BDP;</b> Malan, 1963; 1976)  <b>+ medication</b>	<b>Brief Supportive Psychotherapy (BSP;</b> Novalis et al., 1993))  <b>+ medication</b>
109.	<b>Maina, G., Rosso, G., Rigardetto, S., Chiadò Piat, S., &amp; Bogetto, F. (2010).</b> No effect of adding brief dynamic therapy to pharmacotherapy in the treatment of obsessive-compulsive disorder with concurrent major depression. <i>Psychotherapy and Psychosomatics</i> , 79(5), 295–302.	<b>OCD + depression</b>	<b>Brief Dynamic Psychotherapy (BDP;</b> Malan, 1979)  <b>+ medication</b>	<b>Medication only</b>
110.	<b>Manos, N., &amp; Vasilopoulou, E. (1983).</b> Evaluation of psychoanalytic psychotherapy outcome. <i>Acta Psychiatrica Scandinavia</i> , 70, 28-35.	<b>Mixed sample</b>	<b>Psychoanalytically oriented psychotherapy</b> (no reference)	<b>No-treatment</b>
111.	<b>Marmor, C. R., Horowitz, M. J., Weiss, D. S., Wilner, N. R., &amp; Kaltreider, N. B. (1988).</b> A controlled trial of brief psychotherapy and mutual-help group treatment of conjugal bereavement. <i>Am J Psychiatry</i> , 145, 203-209.	<b>Bereavement</b>	<b>Brief Dynamic Psychotherapy (BDP;</b> Malan, Sifneos; Mann)	<b>Mutual Self-Help Groups</b>
112.	<b>Martini, B., Rosso, G., Chiodelli, D. F., De Cori, D., &amp; Maina, G. (2011).</b> Brief dynamic therapy combined with pharmacotherapy in the treatment of panic disorder with concurrent depressive symptoms. <i>Clinical Neuropsychiatry</i> , 8(3), 204–21.	<b>Panic + depression</b>	<b>Brief Dynamic Psychotherapy (BDP;</b> Malan, 1963)  <b>+ medication</b>	<b>Brief Supportive Psychotherapy (BSP)</b>  <b>+ medication</b>
113.	<b>McCallum, M., &amp; Piper, W. E. (1990).</b> A controlled study of effectiveness and patient suitability for short-term group psychotherapy. <i>Int J Group Psychother</i> , 40, 431-452.	<b>Mixed sample</b>	<b>Short-term psychoanalytically oriented group psychotherapy (STG)</b>	<b>Waitlist</b>
114.	<b>McLean, P., &amp; Hakstian, A. (1979).</b> Clinical depression: comparative efficacy of outpatient treatments. <i>J Consult Clin Psychol</i> , 47, 818-836.	<b>Depression</b>	Short-Term psychotherapy (Marmor, 1975; Wolberg, 1967)	<b>Relaxation therapy</b> (no reference)  <b>Behavior therapy</b> (McLean, 1976)  <b>Drug therapy</b>
115.	<b>McMain, S. F., Links, P. S., Gnam, W. H., Guimond, T., Cardish, R. J., &amp; Korman, L., et al. (2009).</b> A randomized trial of dialectical behavior therapy versus general psychiatric management for borderline personality disorder. <i>Am J Psychiatry</i> , 166, 1365-1374. <b>McMain, S., Guimond, T., &amp; Streiner, D. (2012).</b> Dialectical Behavior Therapy Compared With General Psychiatric Management for Borderline Personality Disorder: Clinical Outcomes and Functioning Over a 2-Year Follow-Up. <i>American Journal</i>	<b>Borderline personality disorder</b>	<b>General psychiatric management, dynamically informed therapy</b> (Gunderson, 1984)	<b>Dialectical Behavior Therapy (DBT;</b> Linehan et al., 1991)

	<i>of Psychiatry</i> , 650–661.			
116.	<b>Meyer</b> , A. E., & Bolz, W. (1981). The Hamburg short psychotherapy comparison experiment. Foreward and introduction. <i>Psychother Psychosom</i> , 35, 81-84.	<b>Mixed sample</b>	<b>Psychodynamic conflict-centered time-limited psychotherapy</b> (no reference)	<b>Waitlist</b>
117.	<b>Miller</b> , L. C., Barrett, C. L., Hampe, E., & Noble, H. (1972). Comparison of reciprocal inhibition, psychotherapy, and waiting list control for phobic children. <i>Journal of Abnormal Psychology</i> , 79(3), 269–279. Retrieved from <a href="http://psycnet.apa.org/journals/abn/79/3/269/">http://psycnet.apa.org/journals/abn/79/3/269/</a>	<b>Phobic children</b>	<b>Play psychotherapy</b> (Lippman, 1956)	<b>Reciprocal inhibition</b>
118.	<b>Milrod</b> , B., Leon, A. C., Busch, F., Rudden, M., Schwalberg, M., & Clarkin, J., et al. (2007). A randomized controlled clinical trial of psychoanalytic psychotherapy for panic disorder. <i>Am J Psychiatry</i> , 164, 265-272.	<b>Panic disorder</b>	<b>Panic-Focused Psychodynamic Psychotherapy</b> (PFPP; Milrod et al, 1997)	<b>Applied relaxation</b> (Öst & Westling, 1995)
119.	<b>Milrod</b> , B., Chambless, D. L., Gallop, R., Busch, F. N., Schwalberg, M., McCarthy, K. S., ... Barber, J. P. (2015). Psychotherapies for Panic Disorder: A Tale of Two Sites. <i>The Journal of Clinical Psychiatry</i> , 10065, 1–9. doi:10.4088/JCP.14m09507	<b>Panic disorder</b>	<b>Panic-Focused Psychodynamic Psychotherapy</b> (PFPP; Milrod et al, 2001)	<b>CBT</b> (Craske, 2000) <b>Applied relaxation</b> (Öst & Westling, 1995)
120.	<b>Moghadam</b> , M. N. (2015). Effectiveness of Short-term Dynamic Psychotherapy versus Sertraline in Treatment of Social Phobia, 9(2), 2–6.	<b>Social phobia</b>	<b>Affect Phobia Therapy</b> (APT; McCullough et al., 2003)	<b>Sertraline</b> <b>Waitlist</b>
121.	<b>Monsen</b> , K., & Monsen, J. T. (2000). Chronic Pain and Psychodynamic Body Therapy: A Controlled Outcome Study. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 37(3), 257–269.	<b>Chronic pain</b>	<b>Psychodynamic body therapy</b> (Monsen & Monsen, 1999)	<b>TAU</b>
122.	<b>Montag</b> , C., Haase, L., Seidel, D., Bayerl, M., Gallinat, J., Herrmann, U., & Dannecker, K. (2014). A Pilot RCT of Psychodynamic Group Art Therapy for Patients in Acute Psychotic Episodes: Feasibility, Impact on Symptoms and Mentalising Capacity. <i>PLoS One</i> , 9(11), e112348. doi:10.1371/journal.pone.0112348	<b>Schizophrenia</b>	<b>Psychodynamic art therapy</b> (Dannecker, 2010)	<b>TAU</b>
123.	<b>Munroe-Blum</b> , H., & Marziali, E. (1995). A controlled trial of short-term group treatment for borderline personality disorder. <i>J Personal Disord</i> , 9, 190-198.	<b>Borderline personalisty disorder</b>	<b>Time-limited group therapy</b> (Marziali & Munroe-Blum, 1995)	<b>Individual psychodynamic psychotherapy</b> (Kernberg, 1975)
124.	<b>Muran</b> , J. C., Safran, J. D., Samstag, L. W., & Winston, A. (2005). Evaluating an alliance-focused treatment for personality disorders. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 42(4), 532–545.	<b>Personality disorders</b>	<b>Brief Relational Therapy</b> (BRT; Safran & Muran, 2000)  <b>Short-Term Dynamic Psychotherapy</b> (STDP: Pollock, Flegenheimer, & Kaufman, 1992)  Nämner även Luborsky (1984) men bara som liknelse?	<b>Cognitive– behavioral therapy</b> (CBT; Turner & Muran, 1992; Beck, Freeman, & Associates, 1990)
125.	<b>Öjehagen</b> , A., Berglund, M., Appel, C. P., Andersson, K., Nilsson, B., & Skjaeris, A., et al. (1992). A randomized study of long-term out-patient treatment in alcoholics. Psychiatric treatment versus multimodal behavioural therapy, during 1 versus 2 years of treatment. <i>Alcohol Alcohol</i> , 27, 649-658.	<b>Alcoholics</b>	<b>“Psychiatric treatment” based on psychodynamic principles</b> (Luborsky, 1984)	<b>Multimodal behavior therapy</b> (Lazarus, 1981)
126.	<b>Pierloot</b> , R., & Vinck, J. (1978). Differential outcome of short-term dynamic psychotherapy and systematic desensitizations in the treatment of anxious outpatients: A preliminary report. <i>Psychologica Belgica</i> , 18, 87-98.	<b>Anxious out-patients</b>	<b>Short-Term Dynamic Psychotherapy</b> (Malan, 1963)	<b>Systematic desensitization</b> (Wolpe, 1969)
127.	<b>Piper</b> , W. E., Debbane, E. G., Bienvu, J. P.,	<b>Mixed sample</b>	<b>Short-term individual</b> (STI);	<b>Short-term group</b> (STG)

	& Garant, J. (1984). A comparative study of four forms of psychotherapy. <i>J Consult Clin Psychol</i> , 52, 268-279.		Malan, 1976)	<b>Long-term individual (LTI)</b> <b>Long-term group (LTG)</b> Non manuals
128.	<b>Piper, W. E., Azim, H. F., McCallum, M., &amp; Joyce, A. S. (1990).</b> Patient suitability and outcome in short-term individual psychotherapy. <i>J Consult Clin Psychol</i> , 58, 475-481.	<b>Mixed sample</b>	<b>STDP</b> (Malan, 1976; Strupp & Binder, 1984)	<b>Waitlist</b>
129.	<b>Piper, W. E., Joyce, a S., McCallum, M., &amp; Azim, H. F. (1998).</b> Interpretive and supportive forms of psychotherapy and patient personality variables. <i>Journal of consulting and clinical psychology</i> , 66(3), 558-67.  <b>Piper, W. E., McCallum, M., Joyce, a S., Azim, H. F., &amp; Ogrodniczuk, J. S. (1999).</b> Follow-up findings for interpretive and supportive forms of psychotherapy and patient personality variables. <i>Journal of consulting and clinical psychology</i> , 67(2), 267-73.	<b>Mixed sample</b>	<b>Interpretive psychotherapy</b> (Piper, Azim, Joyce, & McCallum, 1993)	<b>Supportive psychotherapy</b> (Piper, Azim, Joyce, & McCallum, 1993)
130.	<b>Piper, W. E., McCallum, M., Joyce, A. S., Rosie, J. S., &amp; Ogrodniczuk, J. S. (2001).</b> Patient personality and time-limited group psychotherapy for complicated grief. <i>Int J Group Psychother</i> , 51, 525-552.  <b>Piper, W. E., Ogrodniczuk, J. S., Joyce, A. S., Weideman, R., &amp; Rosie, J. S. (2007).</b> Group composition and group therapy for complicated grief. <i>Journal of Consulting and Clinical Psychology</i> , 75(1), 116-25. doi:10.1037/0022-006X.75.1.116  <b>Piper, W. E., Ogrodniczuk, J. S., Joyce, A. S., &amp; Weideman, R. (2009).</b> Follow-up outcome in short-term group therapy for complicated grief. <i>Group Dynamics: Theory, Research, and Practice</i> , 13(1), 46-58. doi:10.1037/a0013830	<b>Complicated grief</b>	<b>Interpretive group therapy</b> (no specific reference)	<b>Supportive group therapy</b> (no specific reference)
131.	<b>Poulsen, A. (1991).</b> Psychodynamic, time-limited group therapy in rheumatic disease--a controlled study with special reference to alexithymia. <i>Psychother Psychosom</i> , 56, 12-23.	<b>Rheumatic disease</b>	<b>Time-limited group therapy</b> (Foulkes, 1975)	<b>Waitlist</b>
132.	<b>Poulsen, S., Lunn, S., Daniel, S. I. F., Folke, S., Mathiesen, B. B., Katznelson, H., &amp; Fairburn, C. G. (2013).</b> A Randomized Controlled Trial of Psychoanalytic Psychotherapy or Cognitive-Behavioral Therapy for Bulimia Nervosa. <i>The American journal of psychiatry</i> , 1-8.	<b>Bulimia</b>	<b>Psychoanalytic Psychotherapy for bulimia nervosa</b> (Lunn & Poulsen, 2012)	<b>CBT</b> (Fairburn, 2008)
133.	<b>Reneses, B., Galián, M., Serrano, R., Figuera, D., Fernandez Del Moral, A., López-Ibor, J. J., ... Trujillo, M. (2013).</b> A new Time Limited Psychotherapy for BPD: Preliminary Results of a Randomized and Controlled Trial. <i>Actas españolas de psiquiatría</i> , 41(3), 139-48. Retrieved from <a href="http://www.ncbi.nlm.nih.gov/pubmed/23803797">http://www.ncbi.nlm.nih.gov/pubmed/23803797</a>	<b>Borderline personality disorder</b>	<b>Representation focused Psychotherapy</b> (PRFP; (Trujillo, 2001; 2010)	<b>TAU</b>
134.	<b>Ridsdale, L., Godfrey, E., Chalder, T., Seed, P., King, M., Wallace, P., &amp; Wessely, S. (2001).</b> Chronic fatigue in general practice: is counselling as good as cognitive behaviour therapy? A UK randomised trial. <i>The British Journal of General Practice : The</i>	<b>Chronic fatigue</b>	<b>Counselling</b>  “...all counsellors used a psychodynamic approach and all cognitive behaviour therapists used CBT” (p.	<b>CBT</b>

	<i>Journal of the Royal College of General Practitioners</i> , 51(462), 19–24.		20)	
135.	<b>Robin</b> , A. L., Siegel, P. T., & Moye, a. (1995). Family versus individual therapy for anorexia: impact on family conflict. <i>The International Journal of Eating Disorders</i> , 17(4), 313–22. Retrieved from <a href="http://www.ncbi.nlm.nih.gov/pubmed/7620470">http://www.ncbi.nlm.nih.gov/pubmed/7620470</a>  <b>Robin</b> , A. L., Siegel, P. T., Moye, A. W., Gilroy, M., Dennis, A. B., & Sikand, A., et al. (1999). A controlled comparison of family versus individual therapy for adolescents with anorexia nervosa. <i>J Am Acad Child Adolesc Psychiatry</i> , 38, 1482-1489.	<b>Anorexia</b>	<b>Ego-oriented individual therapy (EOIT)</b> (Robin, Siegel, Moye, Koepke, & Tice, 1994)	<b>Behavioral family systems therapy (BFST; Robin et al., 1994, 1996)</b>
136.	<b>Rosenbaum</b> , B., Harder, S., Knudsen, P., Køster, A., Lindhardt, A., Lajer, M., ... Winther, G. (2012). Supportive Psychodynamic Psychotherapy versus Treatment as Usual for First-Episode Psychosis: Two-Year Outcome. <i>Psychiatry</i> , 75(4), 331–41.  <b>Harder</b> , S., Koester, A., Valbak, K., & Rosenbaum, B. (2014). Five-year follow-up of supportive psychodynamic psychotherapy in first-episode psychosis: long-term outcome in social functioning. <i>Psychiatry</i> , 77(2), 155–68. doi:10.1521/psyc.2014.77.2.155	<b>Schizophrenia</b>	<b>Supportive Psychodynamic Psychotherapy (SPP;</b> Rosenbaum, 2009)	<b>TAU</b>
137.	<b>Rosser</b> , R., Denford, J., Heslop, A., Kinston, W., Macklin, D., & Minty, K., et al. (1983). Breathlessness and psychiatric morbidity in chronic bronchitis and emphysema: a study of psychotherapeutic management. <i>Psychol Med</i> , 13, 93-110.	<b>Breathlessness and psychiatric morbidity in chronic bronchitis and emphysema</b>	<b>Analytical psychotherapy</b> No specific reference.	<b>No treatment Nurse Support</b>
138.	<b>Rosso</b> , G., Martini, B., & Maina, G. (2012). Brief dynamic therapy and depression severity: A single-blind, randomized study. <i>Journal of affective disorders</i> , 1–6.	<b>Depression</b>	<b>Brief Dynamic Psychotherapy (BDP;</b> Malan, 1976)	<b>Brief Supportive Psychotherapy (BSP;</b> Novalis et al., 1993
139.	<b>Rossouw</b> , T. I., & Fonagy, P. (2012). Mentalization-based treatment for self-harm in adolescents: a randomized controlled trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 51(12), 1304–1313.	<b>Adolescents who self-harm</b>	<b>Mentalization-based treatment for adolescents</b> (MBT-A; Rossouw, unpublished)	<b>TAU</b>
140.	<b>Salminen</b> , J. K., Karlsson, H., Hietala, J., Kajander, J., Aalto, S., & Markkula, J., et al. (2008). Short-term psychodynamic psychotherapy and fluoxetine in major depressive disorder: a randomized comparative study. <i>Psychother Psychosom</i> , 77, 351-357.	<b>Depression</b>	<b>Short-term psychodynamic psychotherapy (STDP;</b> Malan, 1976; Mann, 1973)	<b>Fluoxetine</b>
141.	<b>Salomonsson</b> , B., & Sandell, R. (2011). A randomized controlled trial of mother–infant psychoanalytic treatment: I. Outcomes on self-report questionnaires and external ratings. <i>Infant Mental Health Journal</i> , 32(2), 207–231. doi:10.1002/imhj.	<b>Mothers who worry about child</b>	<b>Mother–infant psychoanalytic treatment</b> (MIP; Norman, 2001; 2004)	<b>Child Health Center Care (TAU)</b>
142.	<b>Salzer</b> , S., Cropp, C., Jaeger, U., Masuhr, O., & Streeck-Fischer, a. (2013). Psychodynamic therapy for adolescents suffering from comorbid disorders of conduct and emotions in an in-patient setting: a randomized controlled trial. <i>Psychological medicine</i> , 1–10.	<b>Mixed sample of adolescents</b>	<b>Psychoanalytic-interactive method</b> (PiM; Streeck & Leichsenring, 2009; Leichsenring et al., 2010)	<b>Waitlist/TAU</b>
143.	<b>Sanchez</b> , V. C., Lewinsohn, P. M., & Larson, D. W. (1980). Assertion training: effectiveness in the treatment of depression. <i>J Clin Psychol</i> , 36, 526-529.	<b>Depression</b>	<b>“Traditional” Group Therapy</b> (No specific reference)	<b>Assertion training</b> (manualiserad av författarna)

144.	<b>Sandahl, C.,</b> Herlitz, K., Ahlin, G., & Rönnerberg, S. (1998). Time-limited group psychotherapy for moderately alcohol dependent patients: A randomized controlled clinical trial. <i>Psychotherapy Research, 8</i> , 361-378.	<b>Alcohol dependence</b>	<b>Time-limited group psychotherapy</b> (Foulkes, 1964)	<b>Cognitive-behavioural group therapy</b> (Annis, 1986; Marlatt & Gordon, 1985; Sandahl and Rönnerberg, 1990)
145.	<b>Sandahl, C.,</b> Lundberg, U., Lindgren, A., Rylander, G., Herlofson, J., Nygren, A., & Asberg, M. (2011). Two forms of group therapy and individual treatment of work-related depression: a one-year follow-up study. <i>International journal of group psychotherapy, 61</i> (4), 539–55.	<b>Depression (work-related)</b>	<b>Focused psychodynamic group therapy</b> (FGT; Sandahl & Lindgren, 2003)	<b>Cognitive Group Therapy</b> (no reference)  <b>Comparison condition</b>
146.	<b>Sattel, H.,</b> Lahmann, C., Gündel, H., Guthrie, E., Kruse, J., Noll-Hussong, M., ... Henningsen, P. (2011). Brief psychodynamic interpersonal psychotherapy for patients with multisomatoform disorder: randomised controlled trial. <i>The British journal of psychiatry : the journal of mental science, 60–67</i> .	<b>Multisomatoform disorder</b>	<b>Psychodynamic-interpersonal psychotherapy</b> (Guthrie, 2011; Henningsen, 2011)	<b>Enhanced medical care</b>
147.	<b>Saunders, D. G.</b> (1996). Feminist-cognitive-behavioral and process-psychodynamic treatments for men who batter: interaction of abuser traits and treatment models. <i>Violence Vict, 11</i> , 393-414.	<b>Violent men</b>	<b>Process-psychodynamic group therapy</b> (PPT; Browne, Saunders, & Staecker, in press)	<b>Feminist-group CBT</b> (FCBT; Browne, Saunders, & Staecker, in press)
148.	<b>Scheidt, C. E.,</b> Waller, E., Endorf, K., Schmidt, S., König, R., Zeeck, A., ... Lacour, M. (2012). Is brief psychodynamic psychotherapy in primary fibromyalgia syndrome with concurrent depression an effective treatment? A randomized controlled trial. <i>General hospital psychiatry</i> .	<b>Fibromyalgia + depression</b>	<b>Psychodynamic-interpersonal psychotherapy</b> (Hobson, 1985; Goldberg et al., 1984; Guthrie, 2013)	<b>TAU</b>
149.	<b>Shaffer, H. J.,</b> LaSalvia, T. A., & Stein, J. P. (1997). Comparing Hatha yoga with dynamic group psychotherapy for enhancing methadone maintenance treatment: a randomized clinical trial. <i>Altern Ther Health Med, 3</i> , 57-66.		Could not find study...	
150.	<b>Shapiro, D., &amp; Firth, J.</b> (1987). Prescriptive v. Exploratory Psychotherapy Outcomes of the Sheffield Psychotherapy Project. <i>The British Journal of Psychiatry, 151</i> , 790-799 <b>Shapiro, D. a, &amp; Firth-Cozens, J.</b> (1990). Two-year follow-up of the Sheffield Psychotherapy Project. <i>The British journal of psychiatry, 157</i> , 389–91.	<b>Deression and anxiety</b>	<b>Exploratory therapy</b> No specific reference	<b>Prescriptive therapy</b> No specific reference
151.	<b>Shapiro, D. A.,</b> Barkham, M., Rees, A., Hardy, G. E., Reynolds, S., & Startup, M., et al. (1994). Effects of treatment duration and severity of depression on the effectiveness of cognitive-behavioral and psychodynamic-interpersonal psychotherapy. <i>J Consult Clin Psychol, 62</i> , 522-534.	<b>Depression</b>	<b>Psychodynamic-interpersonal psychotherapy</b> (Hobson, 1985; Goldberg et al., 1984)	<b>Cognitive Therapy</b> (CT; Beck, Rush, Shaw, and Emery, 1979)
152.	<b>Shefler, G.,</b> Dasberg, H., & Ben-Shakhar, G. (1995). A randomized controlled outcome and follow-up study of Mann's time-limited psychotherapy. <i>J Consult Clin Psychol, 63</i> , 585-593.	<b>Mixed sample</b>	<b>Time-Limited Psychotherapy</b> (TLP; Mann, 1973)	<b>Wait list</b>
153.	<b>Sifneos, P. E.,</b> Apfel, R. J., Bassuk, E., Fishman, G., & Gill, A. (1980). Ongoing outcome research on short-term dynamic psychotherapy. <i>Psychotherapy and Psychosomatics, 33</i> , 233-241	<b>Mixed sample</b>	<b>Short-term anxiety-provoking psychotherapy</b> (STAPP)	<b>Wait list</b>
154.	<b>Simpson, S.,</b> Corney, R., Fitzgerald, P., & Beecham, J. (2003). A randomized controlled trial to evaluate the effectiveness and costeffectiveness of psychodynamic counselling for general practice patients with chronic depression. <i>Psychol Med, 33</i> , 229-239.	<b>Chronic depression</b>	<b>Psychodynamic counselling</b> (Burton, 1998)	<b>General practice</b>
155.	<b>Sjodin, I.,</b> Svedlund, J., Ottosson, J. O., &	<b>Peptic ulcer disease</b>	<b>Short-Term Dynamic</b>	<b>Medication</b>



	Dotevall, G. (1986). Controlled study of psychotherapy in chronic peptic ulcer disease. <i>Psychosomatics</i> , 27, 187-91, 195.		<b>Therapy</b> (Malan, 1976)	
156.	<b>Sloane</b> , R. B., Staples, F. R., Cristol, A. H., Yorkston, N. J., & Whipple, K. (1975). Short-term analytically oriented psychotherapy versus behavior therapy. <i>American Journal of Psychiatry</i> , 132, 373-377.	<b>Anxiety or personality disorder</b>	<b>Short-Term Analytically Oriented Psychotherapy</b> No specific reference	<b>Wait list</b>  <b>Behavior Therapy</b> No specific reference
157.	<b>Smyrniotis</b> , K. X., & Kirkby, R. J. (1993). Long-term comparison of brief versus unlimited psychodynamic treatments with children and their parents. <i>J.Consult.Clin.Psychol.</i> , 61, 1020-1027.	<b>Children with mixed problems</b>	<b>Time-limited brief psychotherapy</b> (Smyrniotis, Kirkby, Smyrniotis, & Picone, 1987)	<b>Time-unlimited psychotherapy</b> (Klein, 1975; Segal, 1978)
158.	<b>Snyder</b> , D. K., Wills, R. M., & Grady-Fletcher, a. (1991). Long-term effectiveness of behavioral versus insight-oriented marital therapy: a 4-year follow-up study. <i>Journal of Consulting and Clinical Psychology</i> , 59(1), 138-41.	<b>Couples with relational problems</b>	<b>Insight-Oriented Marital Therapy</b> (IOMT; no specific reference.	<b>Behavioral Marital Therapy</b> (BMT; no specific reference.
159.	<b>Stanton</b> , A. H., Gunderson, J. G., Knapp, P. H., Frank, A. F., Vancelli, M. L., & Schnitzer, R., et al. (1984). Effects of psychotherapy in schizophrenia: I. Design and implementation of a controlled study. <i>Schizophr Bull</i> , 10, 520-563.	<b>Schizofreni (non-chronic)</b>	<b>Expressive, insight-oriented psychotherapy</b> (EIO; Stanton, in press)	<b>Reality-adaptive, supportive therapy</b> (RAS; May, 1968)
160.	<b>Steuer</b> , J. L., Mintz, J., Hammen, C. L., Hill, M. A., Jarvik, L. F., Mccarley, T., ... Lissy, F. (1984). Cognitive-Behavioral and Psychodynamic Group Psychotherapy in Treatment of Geriatric Depression mode of treatment for this age group appears. <i>Journal of Consulting and Clinical Psychology</i> , 52(2), 180-189.	<b>Depression among elderly</b>	<b>Psychodynamic Group Psychotherapy</b> (McCarley, 1980)	<b>Cognitive-Behavioral Group Therapy</b> (Emery, 1979)
161.	<b>Svartberg</b> , M., Seltzer, M. H., & Stiles, T. C. (1998). The effects of common and specific factors in short-term anxiety-provoking psychotherapy: a pilot process-outcome study. <i>J Nerv Ment Dis</i> , 186, 691-696.	<b>Mixed sample</b>	<b>Short-term anxiety-provoking psychotherapy</b> (STAPP; Sifneos, 1992)	<b>Non-directive Psychotherapy</b> (NDP; utvecklades specifikt för studien)
162.	<b>Svartberg</b> , M., Stiles, T. C., & Seltzer, M. H. (2004). Randomized, controlled trial of the effectiveness of short-term dynamic psychotherapy and cognitive therapy for cluster C personality disorders. <i>Am J Psychiatry</i> , 161, 810-817.	<b>Personality disorder (Cluster C)</b>	<b>Short-Term Dynamic Psychotherapy</b> (STDP; McCullough Vaillant, 1997)	<b>Cognitive Therapy</b> (CT; Beck & Freeman, 1990)
163.	<b>Svedlund</b> , J., Sjodin, I., Ottosson, J. O., & Dotevall, G. (1983). Controlled study of psychotherapy in irritable bowel syndrome. <i>Lancet</i> , 2, 589-592.	<b>IBS</b>	<b>Brief Dynamic Psychotherapy</b> (Malan, 1979)	<b>Treatment as usual (TAU)</b> (medical)
164.	<b>Szapocznik</b> , J., Rio, A., Murray, E., Cohen, R., Scopetta, M., & Rivas-Vazquez, A., et al. (1989). Structural family versus psychodynamic child therapy for problematic Hispanic boys. <i>J.Consult.Clin.Psychol.</i> , 57, 571-578.	<b>Behavioral problems among boys</b>	<b>Individual psychodynamic child therapy (IPCT)</b> (Adams, 1974; Cooper & Wanerman, 1977)	<b>Structural Family Therapy</b> (SFT; Minuchin & Fishman, 1981; Minuchin, Montalvo, Guerney, Rosman, & Schuman, 1967)  <b>Recreational control condition</b>
165.	<b>Sørensen</b> , P., Birket-Smith, M., Wattar, U., Buemann, I., & Salkovskis, P. (2010). A randomized clinical trial of cognitive behavioural therapy versus short-term psychodynamic psychotherapy versus no intervention for patients with hypochondriasis. <i>Psychol Med</i> , 1-11.	<b>Hypochondriasis</b>	<b>Short-Term Psychodynamic Psychotherapy</b> (No specific reference)	<b>Cognitive-behavioural Therapy</b> (CBT; Salkovskis, 1989; Warwick, 1989; Salkovskis et al. 2003)  <b>Wait list</b>
166.	<b>Tasca</b> , G., Ritchie, K., Conrad, G., Balfour, L., Gayton, J., & Lybanon, V., et al. (2006). Attachment scales predict outcome in a randomized controlled trial of two group therapies for binge eating disorder: An aptitude by treatment interaction. <i>Psychotherapy Research</i> , 16, 106-121.	<b>Binge eating disorder</b>	<b>Group psychodynamic interpersonal psychotherapy</b> (Tasca et al., 2002; Strupp & Binder, 1984; Malan 1979)	<b>Group cognitive-behavior therapy</b> (GCBT; Wilfley et al., 1996)

167.	<b>Thompson, L. W., Gallagher, D., &amp; Breckenridge, J. S. (1987).</b> Comparative effectiveness of psychotherapies for depressed elders. <i>J Consult Clin Psychol</i> , 55, 385-390.	<b>Depression among elderly</b>	<b>Brief psychodynamic therapy</b> (Horowitz & Kaltreider, 1979)	<b>Cognitive Therapy (CT;</b> Beck, Rush, Shaw, & Emery, 1979)  <b>Behavioral Therapy (BT;</b> Gallagher & Thompson, 1981; Lewinsohn, 1974)  <b>Delayed-treatment control</b>
168.	<b>Thyme, K. E., Sundin, E. C., Stahlberg, G., Lindstrom, B., Eklof, H., &amp; Wiberg, B., et al. (2007).</b> The outcome of short-term psychodynamic art therapy compared to short-term psychodynamic verbal therapy for depressed women. <i>Psychoanalytic Psychotherapy</i> , 21, 250-264.	<b>Depression among women</b>	<b>Short-Term Psychodynamic Verbal Therapy</b> (Mann, 1973)	<b>Art psychotherapy</b> (no reference)
169.	<b>Trowell, J., Kolvin, I., Weeramanthri, T., Sadowski, H., Berelowitz, M., &amp; Glaser, D., et al. (2002).</b> Psychotherapy for sexually abused girls: psychopathological outcome findings and patterns of change. <i>Br J Psychiatry</i> , 180, 234-247.	<b>Trauma (sexually abused girls)</b>	<b>Individuell terapi</b> Unclear description, no reference?	<b>Psychopedagogical /analytic group therapy</b>
170.	<b>Trowell, J., Joffe, I., Campbell, J., Clemente, C., Almqvist, F., &amp; Soininen, M., et al. (2007).</b> Childhood depression: a place for psychotherapy. An outcome study comparing individual psychodynamic psychotherapy and family therapy. <i>Eur Child Adolesc Psychiatry</i> , 16, 157-167.  <b>Garoff, F. F., Heinonen, K., Pesonen, A.-K., &amp; Almqvist, F. (2012).</b> Depressed youth: treatment outcome and changes in family functioning in individual and family therapy. <i>Journal of Family Therapy</i> , 34(1), 4-23.	<b>Depression (children)</b>	<b>Focused Individual Psychotherapy</b> (Malan & Osmimo, 1992; Davanloo, 1978)	<b>Systems Integrative Family Therapy</b> (Byung-Hall, 1995; Will, 1985)
171.	<b>Vinnars, B., Barber, J. P., Norén, K., Gallop, R., &amp; Weinryb, R. M. (2005).</b> Manualized supportive-expressive psychotherapy versus nonmanualized community-delivered psychodynamic therapy for patients with personality disorders: bridging efficacy and effectiveness. <i>Am J Psychiatry</i> , 162, 1933-1940.  <b>Vinnars, B., Gallop, R., &amp; Barber, J. P. (2010).</b> Do Personality Problems Improve During Psychodynamic Supportive-Expressive Psychotherapy? Secondary Outcome Results From a Randomized Controlled Trial for Psychiatric Outpatients with Personality Disorders. <i>Psychotherapy</i> , 46(March 2007), 362-375. doi:10.1037/a0017002.	<b>Personality disorder( mixed clusters)</b>	<b>Supportive-Expressive Psychotherapy (SE;</b> Luborsky, 1984)	<b>non-manualized PDT</b>
172.	<b>Vitriol, V. G., Ballesteros, S. T., Florenzano, R. U., Weil, K. P., &amp; Benadof, D. F. (2009).</b> Evaluation of an outpatient intervention for women with severe depression and a history of childhood trauma. <i>Psychiatr Serv</i> , 60, 936-942.	<b>Depression (+ childhood trauma)</b>	<b>Brief psychodynamic psychotherapy</b>  Reference to: Kudler H, Blank A, Krupnick J: Psychodynamic therapy, in <i>Treatment of Posttraumatic Stress Disorder</i> [in Spanish]. Edited by Foa E. Barcelona, Editorial Ariel, 2003  Davies J, Frawley M: <i>Treating the Adult Survivor of Childhood Abuse</i> . New York, Basic Books, 1994	<b>Sedvanlig behandling</b>
173.	<b>Watzke, B., Rüdell, H., Jürgensen, R., Koch, U., Kriston, L., Grothgar, B., &amp; Schulz, H.</b>	<b>Mixed sample</b>	<b>Psychodynamic brief group therapy</b> (Heigl-Evers	<b>Cognitive-behavioural group therapy</b> (Fiedler,

	(2010). Effectiveness of systematic treatment selection for psychodynamic and cognitive-behavioural therapy: randomised controlled trial in routine mental healthcare. <i>The British Journal of Psychiatry : The Journal of Mental Science</i> , 197(2), 96–105. doi:10.1192/bjp.bp.109.072835 <b>Watzke, B., Rüdell, H., Jürgensen, R., Koch, U., Kriston, L., Grothgar, B., &amp; Schulz, H. (2012).</b> Longer term outcome of cognitive-behavioural and psychodynamic psychotherapy in routine mental health care: Randomised controlled trial. <i>Behaviour research and therapy</i> , 50(9), 580–587.		et al., 1997)	2001)
174.	<b>Wiborg, I. M., &amp; Dahl, A. A. (1996).</b> Does brief dynamic psychotherapy reduce the relapse rate of panic disorder? <i>Arch Gen Psychiatry</i> , 53, 689-694.	<b>Panic disorder</b>	<b>Brief Dynamic Psychotherapy (BDP;</b> Davanloo, 1978; Malan 1976; 1979; Strupp & Binder, 1984	<b>Clomipramin alone</b>
175.	<b>Wiltink, J., Dippel, A., Szczepanski, M., Thiede, R., Alt, C., &amp; Beutel, M. E., et al. (2007).</b> Long-term weight loss maintenance after inpatient psychotherapy of severely obese patients based on a randomized study: predictors and maintaining factors of health behavior. <i>J Psychosom Res</i> , 62, 691-698.	<b>Severe obesity</b>	<b>Psychodynamic inpatient treatment</b>  No manual men tycks baserat på CCRT, referencen går till: Levine F, Luborsky L. The core conflictual relationship method—a demonstration of reliable clinical inferences by the method of mismatched cases. In: Tutman S, Kaye C, Zimmermann M, editors. <i>Object and self: a developmental approach</i> . New York: International University Press, 1981. pp. 501–26.	<b>Behavioral treatment</b> (no specific reference)  Behavioral approach was geared at identifying functional determinants of obesity, developing problem-solving strategies and social competence, improving body perception and emotional expression, and promoting pleasurable eating behavior regulated by hunger and satiety.
176.	<b>Winston, A., Pollack, J., McCullough, L., Flegenheimer, W., Kestenbaum, R., &amp; Trujillo, M., et al. (1991).</b> Brief psychotherapy of personality disorders. <i>J Nerv Ment Dis</i> , 179, 188-193.  <b>Winston, A, Laikin, M., Pollack, J., Samstag, L. W., McCullough, L., &amp; Muran, J. C. (1994).</b> Short-term psychotherapy of personality disorders. <i>The American journal of psychiatry</i> , 151(2), 190–4.	<b>Personality disorder</b> (mixed clusters)	<b>Short-Term Dynamic Therapy (STDP;</b> Davanloo, 1980)  Also reference to Mann, Malan, and Sifneos.	<b>Brief Adaptive Psychotherapy (BAP;</b> Pollack et al., 1991)
177.	<b>Woody, G. E., Luborsky, L., McLellan, A. T., O'Brien, C. P., Beck, A. T., &amp; Blaine, J., et al. (1983).</b> Psychotherapy for opiate addicts. Does it help? <i>Arch Gen Psychiatry</i> , 40, 639-645.  <b>Woody, G. E., Luborsky, L., McLellan, A. T., &amp; O'Brien, C. P. (1990).</b> Corrections and Revised analyses for Psychotherapy in Methadone Patients.	<b>Opiate dependence</b>	<b>Supportive-Expressive Psychotherapy (SE;</b> Luborsky, 1977; unpublished manual)	<b>Cognitive-Behavior Therapy (CBT;</b> Beck, unpublished)  <b>Drug Counseling (DC;</b> Stockdale & Hargrove, unpublished material, 1977)
178.	<b>Woody, G. E., McLellan, A. T., Luborsky, L., &amp; O'Brien, C. P. (1995).</b> Psychotherapy in community methadone programs: A validation study. <i>American Journal of Psychiatry</i> , 152, 1302-1308.	<b>Opiate dependence</b>	<b>Supportive-Expressive Psychotherapy (SE;</b> Luborsky, 1984)	<b>Drug counseling</b>
179.	<b>Zipfel, S., Wild, B., Groß, G., Friederich, H., Teufel, M., Schellberg, D., ... Zwaan, M. De. (2013).</b> Articles Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in outpatients with anorexia nervosa (ANTOP study): randomised controlled trial. <i>The Lancet</i> , 6736(13), 1–13.	<b>Anorexia</b>	<b>Focal psychodynamic therapy (FPT;</b> Schauenburg et al., 2009)	<b>Enhanced cognitive behaviour therapy (CBT-E;</b> Fairburn, 2008)  <b>Optimised treatment as usual</b>

